












Welcome to Durable


Durable patented the original tire link mat in 1923. Since then we have been recycling tires and producing these mats in the same high quality way; proving that a really good idea never goes out of style!

You will find outstanding products in this catalog, designed to meet all of your industrial and entrance needs. Our mats will help keep your floors looking great and provide extra



If you are looking for a mat that we do not offer in the catalog contact Customer Service to see if we have it available. We have chosen the most popular products to offer.







Striving to Serve You Better!

Our 2018 catalog is designed to work hand in hand with your Smartphone, Notepad, or Computer. Each product shown in this catalog has a brief description along with other basic product information. The barcode next to each product links you directly to the specific product page on the website quickly and easily for detailed information. Simply download one of several barcode readers from your App Store and follow directions. If you register with us at www.durablecorp.com you may also view your pricing and have access to product promotions.

Note: Some restrictions do apply when setting up an account at www.durablecorp.com. Scan for current information on each product or visit **www.durablecorp.com.**

Durite 🔀

Provides excellent drainage, foot comfort, and traction. Easily rolled for cleaning and storage.

Material: Recycled rubber links from recycled tires woven on

galvanized wires with open weave surface

Thickness: Color: Black

14" x 22", 17" x 25", 18" x 96" 20" x 30", Size:

24" x 36".

24" x 48", 24" x 60", 24" x 72", 30" x 48", 30" x 60", 36 x 48", 36" x 60", 36" x 72",

36" x 96", 36" x 120", 36" x 144"

Options: Black beveled nosing





Dura-Rug



Carpet like nap and open mesh construction absorb moisture and traps dirt from foot traffic.

Material: Pile top rubberized fabric links from recycled tires woven

on galvanized steel rods with open weave surface

Thickness:


Color: Natural

14" x 22", 17" x 25", 20" x 30", 24" x 36", 30" x 48", 30" x 60", 36" x 72" Size:

Options: Beveled or squared nosing available









Dura-Tile





Environmentally friendly, made from post-consumer bias-ply bus and truck tires. Attractive carpet-like surface provides a touch of luxury in areas of frequent foot traffic. Traps dirt, absorbs moisture, and protects floors. Suitable for any entrance, wall to wall floor covering, or areas where a durable high traffic glue down tile is required.*

Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires. Material:

Backing – Spunbond polyester or Vulcanized rubber. (NEW)

Thickness:

Earthtone* Color:** Size: 12" x 12"



Dura-Tile Rolls

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.

Backing - Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: Color:** Earthtone

Size: 12" x 25'; Special Sizes - 12" up to 30'



Dura-Tile Accessories

Dura-Tile II in all styles is a glue-down product. See price book for adhesive, bevel nosing, and aluminum recess frame options.



*Special Note: Meets or exceeds Federal flammability regulations CPSC-FF 1-70,

16 CFR, and ASTM D 2859-96. Recycled content <95% postconsumer. Dura-Tile II with polyester backing is shipped unless

specified.

**Color: Colors will vary from tile to tile due to tile strips





Dura-Tile

Designer Dura-Tile

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering. The one square foot triangular tile can be made into a two piece 17" x 17" tile or a four piece 24" x 24" tile. Combine with standard Dura-Tile, Rolls or Colored Dura-Tile to create custom designs and layouts.*

Surface - Rubberized fabric strips manufactured from bias-ply bus and truck tires Material:

Backing - Spunbond polyester or Vulcanized rubber. (NEW)


Thickness:

Color:** Earthtone

Size:

1 square foot triangle 12" x 12" x 17", 16 square feet per case, sold in full cases only





24 Two Piece Tile

Four Piece Tile

Dura-Tile Colors

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering. Engineered coloring process will not transfer to other surfaces and will hold up for years with proper cleaning.*

Surface - Rubberized fabric strips manufactured from bias-ply bus and truck tires. Material:

Backing - Spunbond polyester or Vulcanized rubber. (NEW)

Thickness:

Color:** Blue Tone, Red Tone, Green Tone, Charcoal Tone, Brown Tone Size: Dura-Tile II, Designer Dura-Tile and Rolls can be colored.

Minimum order 250 square feet. Full case orders only.





Standard Earthtone



Red Tone



Green Tone



Blue Tone



Charcoal Tone



Brown Tone

*Special Note: Meets or exceeds Federal flammability regulations CPSC-FF 1-70,

16 CFR, and ASTM D 2859-96. Recycled content <95% postconsumer. Dura-Tile II with polyester backing is shipped unless

**Color: Colors will vary from tile to tile due to tile strips Anti-Fatigue – Dry Area

Grand-Stand Vinyl™

Tough wearing smooth marbleized vinyl with sponge base is a less expensive alternative to rubber surface mats.

Material: %" smooth vinyl surface with a %" thick sponge base

Thickness: ½"

Color: Marble – Gray, Black/White, Blue, Charcoal

Size: 24" x 36", 36" x 60"

Rolls – 3' x 75', 4' x 75'

Special Cuts - 3', and 4' wide up to 60'



Grand-Stand Vinyl HD

Extra thick PVC sponge base is bonded to a marbleized vinyl top surface. Bevel edge on all sides provides added safety.

Material: 1/8" vinyl surface bonded to a 3/4" vinyl sponge base

Thickness: 7/8" approximately

Color: Marble Black, Blue, Gray, Charcoal

Size: 24" x 36", 36" x 60" Rolls – 3' x 75', 4' x 75'

Special Sizes – 3' and 4' up to 75'



Grand-Stand Textured™

Textured rubber surface with resilient rubber foam base is excellent for reducing worker fatigue. Ideal for industrial applications and areas where limited welding occurs.

Material: 1/8" textured rubber surface with a 3/8" rubber sponge base

 Thickness:
 ½"

 Color:
 Black

 Size:
 2' x 3', 3' x 5'

Rolls – 3' x 75', 4' x 75' Special Cuts – 3' and 4' wide



Anti-Fatigue – Dry Area

Grand-Stand Deluxe™

Natural rubber foam base provides excellent comfort. Beveled edges on all sides add extra measure of safety.

Material: 3/32" Thermoset Vulcanized Rubber (SR) smooth surface

bonded to a 3/8" resilient rubber foam base

Thickness: ½"

Size: 24" x 36", 36" x 60"

Cuts 3' up to 60'

Color: Marble Gray, Blue, Black & White,

Solid – Black



Grand-Stand Beauty & Barber™

Custom made mats feature a long wearing rubber surface bonded to a resilient rubber foam base. Built-in beveled edge base adds an extra measure of safety and virtually eliminates tripping.

Material: 3/32" Thermoset Vulcanized Rubber (SR) smooth surface

bonded to a foam base

Thickness: ½"

Shape: Circular or Rectangular

Size: Rectangular – 36" x 52", 36" x 54",


36" x 60"

Circular – 36" x 64", 36" x 72"

Color: Marble Gray, Blue, Black & White,

Solid - Black





Durable 1/8" PVC marble surface bonded to a resilient 3/8" sponge base. Available in standard sizes and four attractive colors to compliment any decor. All standard sizes have recess for chair to sit. Cut-outs available at no additional charge. Custom size available upon request.

Material: 1/8" PVC marble smooth vinyl surface

with 3/8" thick sponge base

Thickness: Approximately ½"


Color: Marble Black, Blue, Gray, Charcoal
Size: Standard Sizes with cut-out or recess

rectangular or circular 36" x 52", 36" x 54",

36" x 60", 36" x 72"



Note: Grand-Stand Deluxe and Beauty & Barber mat color offerings are subject to change. Please contact Customer Service for color availability.



SAFE ZONE High Visibility Mats

Promote safety and comfort with high visibility matting. Our exclusive formulated high visibility yellow color clearly identifies work areas where safety is a must. Combine that with three of our most popular antifatigue mats and you have the best safety mat available today.

Diamond-Dek Sponge-HV

Diamond surface provides sure footing in a variety of applications while sponge base reduces fatigue on legs and back.

Material: 5/32" vinyl diamond surface bonded

to a heavy duty sponge base

Thickness: %6

Color: Hi-Viz Yellow
Size: 24" x 36", 36" x 60"
Rolls – 3' x 75'

Special Cuts - 3' wide up to 75'



Workmaster II-HV

Tough industrial mat with Hi-Viz beveled edges creates an ultra-safe work area.

Material: Open circular grease resistant rubber

compound with PVC edging

Thickness: 3/4"

Color: Black with Hi-Viz Yellow Edging
Size: Edging 3 sides – 26" x 40", 38" x 52",

38" x 64", 38" x 124"

Edging 4 sides - 28" x 40", 40" x 52",

40" x 64", 40" x 124"



Anti-Slip Tape-HV

Self-adhesive, abrasive non-skid tape is perfect for inclines and most wet areas. Applies easily to most surfaces.

Surface: Non-skid texture
Color: Hi-Viz Yellow

Size: 1" x 60', 2" x 60', 4" x 60', 6" x 60'



Diamond-Dek Sponge

Heavy duty matting provides sure footing in a variety of applications. Beveled edges and colored safety borders promote safety while reducing fatigue on the legs and back.

Material: 5/32" vinyl diamond treaded surface bonded to a heavy duty foam

Thickness: %6"

Color: Black, Gray, Black with Yellow Border

Size: 24" x 36", 36" x 60"

Rolls – 2' x 75', 3' x 75', 4' x 75'

Special Cuts - 2', 3', and 4' wide up to 75'



Diamond-Dek Sponge HD™

Extra thick industrial grade foam on a diamond tread surface provides sure footing, superior comfort, and anti-fatigue for workers.

Material: 5/32" vinyl Diamond-Dek surface bonded

to a resilient 3/4" thick foam

Thickness: %"

Color: Solid Black, Black with Yellow Border

Size: 24" x 36", 36" x 60"

Special Cuts - 2', 3', and 4' wide up to 75'



Diamond-Dek Sponge Supreme

The ultimate in durability and comfort. Diamond tread surface bonded to a heavy grade PVC sponge base. The specially formulated sponge is ideal for areas where standing long periods of time is required.

Material: 5/32" vinyl diamond tread surface is bonded to a 5/16" heavy

duty blue vinyl sponge base

Thickness: 3/4" approximately

Color: Solid Black, Black with Yellow borders

Size: 24" x 36", 36" x 60"

Rolls – 2' x 75', 3' x 75', 4' x 75'

Special Cuts - 2', 3', and 4' wide up to 75'



Urethane HD

NEW

The Softest anti-fatigue mat available. Crush resistant, UV Stable, and chemical resistant 100% poly-urethane mat with built in bevel edge for added safety. Ideal for Industrial and Commercial use.

Material: 100% poly-urethane

Thickness: ¾"

Color: Black

Size: 18" x 24", 24" x 36"

Bubble Mat

Designed for comfort and durability. Holds up to the toughest conditions.

Material: SBR/NR non-staining, non-marking

with a raised bubble surface

Thickness: ½"

Color: Black, Black with Yellow Border

Size: 24" x 36", 36" x 48"





Anti-Fatigue – Dry Area

Anti-Fatigue – Dry Area

Sof-Spun 3/8"

Sponge vinyl cushioned mat helps ease foot, leg, and back fatigue at standing workstations. The corrugated sponge vinyl surface traps dirt, resists oil and grease, and will not absorb water.

Material: Sponge vinyl core with a wide ribbed corrugated surface

Thickness: 3/8"

Color: Black, Gray

Size: Standard – 27" x 36", 27" x 60", 36" x 60"

Rolls $-2' \times 60'$, $3' \times 60'$, $4' \times 60'$, $6' \times 60'$ Special Cuts -2', 3', 4', and 6' wide up to 60' (Cut Lengths available in black only.)



Sof-Spun 5/8"

Durable, economical PVC sponge helps ease foot, leg, and back fatigue at standing workstations. Corrugations trap dirt and provide added traction.

Material: Sponge vinyl with a wide corrugated surface

Thickness: 5%"

Color: Black

Size: Standard – 24" x 36", 36" x 60"

Rolls – 2' x 60', 3' x 60', 4' x 60', 6' x 60' Custom Lengths – 2', 3', 4',

and 6' wide up to 60'



Diamond-Dek Sof-Spun

Ideal for use in factories and warehouses at workstations and assembly lines. Resists oil and grease and will not absorb water.

Material: Sponge vinyl core with a diamond tread surface

Thickness: 3/8"

Color: Black

Size: Rolls – 2'x 60', 3' x 60' 4' x 60'

Special Cuts – 2', 3', and 4' wide up to 60'



Safety Spun™

Anti-fatigue mat with beveled edges and OSHA Yellow borders makes any area a safer place to work.

Material: Sponge vinyl core with a wide ribbed corrugated surface

Thickness: 3/8

Color: Charcoal with safety yellow border

Size: Rolls – 3' x 60', 4' x 60'

Special Cuts – 3' and 4' wide up to 60'



<u> Anti-Fatigue – Dry Area</u>

Ultra Safe

Polyurethane top coated mat provides improved resistance to abrasion. Pebble surface for easy cleaning.

Material: Sponge vinyl core with a pebbled

polyurethane coated surface

Thickness: 3/8"

Color: Black Pebble with Yellow border

Size: Rolls – 3' x 60', 4' x 60'

Special Cuts - 3' and 4' wide up to 60'



Diamond-Dek Ultra Safe

Diamond tread surface with a polyurethane top coating provides outstanding resistance to abrasion.

Material: Sponge vinyl core with polyurethane

coated diamond tread surface

Thickness: 3/8"

Color: Black with Yellow border Size: Rolls – 3' x 60', 4' x 60'

Special Cuts – 3' and 4' wide up to 60'



Sof-Stand Supreme™

IMPROVED FORMULA

Sof-Stand Supreme provides more superior comfort than traditional vinyl sponge mats. Pebble embossed vinyl surface is integrated with a moisture resistant closed cell vinyl foam base.

Material: Dual density vinyl sponge with a pebble surface

Thickness: ½"

Color: Black

Size: 24" x 36", 36" x 60"

Rolls - 3' x 60', 4' x 60'

Special Cuts - 3' and 4' wide up to 60'



Comfort Stand

Added comfort in a single layer sponge. Comfort Stand is 2-3 times more resilient than standard vinyl sponge mats.

Material: Cross link Vinyl/Nitrile sponge with textured surface

Thickness: 3/8"
Color: Black

Size: 2' x 3' and 3' x 5' bevel edges all sides

Rolls – 2', 3', and 4' x 60' bevel all sides Custom – 2', 3', and 4' wide up to 60' bevel edge on long sides only



Comfort Stand HD

The ultimate in comfort from a single layer sponge. Comfort Stand HD is ideal in industrial, commercial, and retail applications where standing for long periods of time is required.

Material: Cross link vinyl/nitrile sponge with textured surface

Thickness: %"

Color: Black

Size: 2' x 3', 2' x 4', 3' x 4', 3' x 5', and 4' x

6' bevel edges all sides

Rolls – 2', 3', and 4' x 30' bevel all sides Custom – 2', 3', and 4' wide up to 30' bevel edge on long sides only





Anti-Fatigue – Wet Area

Workstation Plus™

Extra-tough lightweight matting, ideally suited for workstations in restaurants, kitchens, and industrial applications. Built in beveled edges provide safety, while the open circular mesh surface provides a non-slip footing in wet or oily areas.

Material: Black – Grease-resistant rubber compound

Red – Grease-proof rubber compound

Thickness: ½"

Color: Red, Black

Size: 3' x 5', 3' x 10', 3' x 15', 3' x 20'



Workstation

Interlocking system available in solid or open mesh design. Mat has built-in interlocking system that can be connected to extend length and width. Beveled edges available.

Material: Black – Grease-resistant rubber compound

Open – Circular; Solid – Texture

Thickness: 5%"
Color: Black
Size: 36" x 36"



Workmaster

Durable 3/4" heavy duty mat is made for industrial, commercial, and kitchen applications. Drain holes and knob back construction make drainage easy.

Material: High quality rubber compound

with an open circular surface

Thickness: 3/4"

Color: General Purpose Black

Size: 36" x 60"



Workmaster II

Tough industrial mat with safety orange beveled edge creates an ultra safe work environment at all types of workstations.

Material: Grease-resistant rubber with an open circular surface

Thickness: ¾"

Color: Black, Nosing Color: OSHA Safety

Orange (standard), Yellow, Red, Black

Size: Color Border All Sides – 28" x 40",

40" x 52", 40" x 64", 40" x 124" Color Border 3 Sides – 26" x 40", 38" x 52", 38" x 64", 38" x 124"



Workstation Light

Economical lighter weight ½" standard duty general purpose mat with built in bevel edge.

Material: General purpose rubber compound

Thickness: ½"

Color: Black, Red Size: 3' x 5'



<u> Anti-Fatigue – Wet Area</u>

Workstation Edge

Lightweight kitchen and industrial mat with 1.5" ramped beveled edge for extra safety. Keeps feet dry by draining moisture away from surface, providing non-slip footing in wet or oily areas.

NEW

Black - General purpose rubber Material:

Red - Grease resistant rubber

Thickness:

Color: Black, Red Size: 3' x 5'



Rx Mat®

This unique multidimensional non-skid Nitrile Rubber tile is excellent for areas where safety is a must. Highly chemicalresistant and easily configured to fit any workstation.

Grease proof 100% Nitrile rubber with a raised Material:

multi-dimensional surface

Thickness:

Styles: Solid, Open, Grit Open

Color: Black Size: 18" x 18"



Workstation Nitrile

Identical to our standard Workstation mat in solid or open style but made with 100% nitrile rubber for the harshest applications. Built in connectors on two sides allows custom sizes to be made in widths and lengths.

100% nitrile rubber compound Material:

Thickness: Color:

Ideal slip resistant and anti-fatigue matting for the food

Size:

Lightweight reversible anti-fatigue mat made from a 100% nitrile compound has excellent anti-slip and

Color:

Size:



Anti-Fatigue – Wet Area



Cushion Tile

Either indoors or outdoors, cushioned matting eases worker fatigue, guards against damage from vibration or slipping. Grease and moisture resistant. Interlocking 12" square tiles can be assembled to meet any dimensional requirements

Material: Recycled flexible vinyl with open

waffle grid surface

Thickness:

Color: Tile - Black; Edging - Black, Yellow

Size: 12" x 12"





Grit Cushion Tile

Cushion Tile's modular design allows for easy installation into an area of any size or shape. Grit top surface adds extra anti-slip protection.

Material: Recycled flexible vinyl with gritted,

open, waffle grid surface

Thickness:

Color: Tile - Black with Grit Surface (Standard)

Edging - Black, Yellow

12" x 12" Size:





Color Cushion Tiles

Safe, sanitary "Cushion Tiles" provide maximum protection from slippery surfaces. Raises foot traffic above wet floors. Open grid design prevents moisture, odor build-up and slows infectious mold, mildew, and bacteria growth.

100% recycled PVC plastic Material:

with an open surface

Thickness:

Color: Blue, Green, Gray, Red,

Yellow, Beige

12" x 12" Size:





Heromat

Ideal self draining mat that protects compartments and expensive tools from damage. Highly chemical resistant, UV stable and inhibits growth of bacteria.

100% virgin PVC Material:

Thickness:

Surface: Open grid "duckboard" design

Color: Black, Red

Size: Full Rolls Only, 2' x 33', 3' x 33'



<u> Anti-Fatigue – Wet Area</u>

Vynagrip

The ultimate non-skid drainage mat. Vynagrip offers a "diamond tread" pattern surface on the top and bottom of the matting for increased slip resistance.

Material: Extruded PVC

Thickness: 5/8"

Color: Black, Red, Black with Yellow Border

Size: 2' x 33', 3' x 33', 4' x 33'

Special Cuts – 2', 3', and 4' wide up to 33'



Cushion Grid

Cushion Grid: Hollow tube construction with tread surface provides air-cushioned comfort. Ideal for use on wet floors. Compound resists oil, grease, fats, alkalis, and acids.

Material: All vinyl construction with

an open smooth surface

Thickness: ½"

Color: Blue, Black, Gray

Size: Rolls – 2' x 40', 3' x 40', 4' x 40'

Special Cuts – 2', 3', and 4' wide up to 40'



Heronair

Two layer open grid construction matting provides excellent comfort and drainage. The hollow tube construction makes it a less expensive alternative.

Material: Extruded PVC
Thickness: Approximately %"
Color: Black, Gray, Blue

Size: Rolls – 2' x 40', 3' x 40', 4' x 40'

Special Cuts – 2', 3', and 4' wide up to 40'



Heronrib

Ideal self draining safety matting for sports and leisure applications, indoors or outdoors.

Material: Extruded PVC

Thickness: 3/8"

Color: Oxford Blue, Blue, Black, Buff, Gray

Size: 2' x 33', 3' x 33', 4' x 33'

Special Cuts - 2', 3', and 4' wide up to 33'







Switchboard

ASTM D178 Switchboard Matting with corrugated surface is the premier insulating matting to protect workers. Each roll is proof tested at the specified voltage over the entire surface.

Material: Specially compounded material

with fine rib corrugated surface

Thickness: Color: Black

Rolls – 2' x 25 yds., 3' x 25 yds., 4' x 25 yds. Size:

Special Cuts – 2', 3', and 4ⁱ wide up to 25 yds.



Diamond Switchboard

ASTM D178 Switchboard Matting with diamond surface is the premier insulating matting to protect workers. Each roll is proof tested, at the specified voltage over the entire surface.

Material: Specially compounded material with diamond surface

Thickness:

Color: Black, Black with Yellow border Size: 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.

Special Cuts - 2', 3', and 4' wide up to 25 yds.

Note: Black with Yellow border

available in 3' wide only



Military Switchboard

The MIL-DTL 15562 specifications for insulating, Switchboard Matting.

Material: Specially formulate PVC

Size: Type II Black 1/8" x 3' x 25 yds. roll

Type II Blue 1/8" x 3' x 25 yds. roll

Type III Diamond Top Gray 3/16" x 25 yds. roll

Full roll sales only Note:



Conductive Diamond-Dek Sponge™

Diamond pattern Conductive 10⁶ ohms* of surface resistivity bonded to a heavy duty sponge base.

Material: Vinyl top bonded to a vinyl sponge

with a diamond tread surface

Thickness: %16" Color: Rlack

36" x 60", 24" x 36" Size:

Rolls - 3' x 75', 4' x 75'

Special Cuts - 3' and 4' wide up to 75'

10' Ground cord Options:

*Measured from surface to surface and surface to ground per EOS/ESD test

method DS7.1-1991



Corrugated Rubber™

Economical and functional general service matting provides protection for carpeting and floors.

Material: Rubber fine rib top with fabric impression base

Thickness: 1/8"
Color: Black

Size: Rolls – 2' x 25 yds., 2' x 50 yds., 3' x 25 yds.,

3' x 50 yds., 4' x 25 yds., 4' x 50 yds., 6' x 25 yds. Special Cuts – 2', 3', and 4' wide up to 50

yds.

Note: 6' only available up to 25 yards



Heavy Duty Corrugated Rubber™

Industrial grade ¼" thick Heavy Duty Corrugated is excellent where extra floor protection is needed. The fiber reinforced recycled rubber compound is spike resistant and can be used outdoors to protect surfaces from shoe cleats and spikes.

Material: Recycled rubber compound with a wide rib corrugated

surface

Thickness: ¼"
Color: Black

Size: Rolls – 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.,

Special Cuts – 2', 3', and 4'

wide up to 25 yds.



Heavy Duty Corrugated Rubber Fine Rib

Industrial grade Heavy Duty Corrugated Rubber effectively prevents slips and falls. The ¼" thickness is excellent for floor protection and is spike resistant.

Material: Rubber fine rib top with

fabric impression back

Thickness: ¼"

Color: Black

Size: Rolls – 2' x 75', 3' x 75', 4' x 75'

Special Sizes - 2', 3', and 4' wide up to 75'



Diamond-Dek Runner

Deep embossed Diamond Tread pattern with a textured impression back effectively provides traction in wet areas. Multi-directional surface is easy to clean.

Material: High Grade Vinyl

Thickness: 5/32"

Color: Black, Gray, Black with Yellow Safety Border

Size: Rolls 2' x 75', 3' x 75', 4' x 75'

Special Sizes – 2', 3', and 4' wide up to 75'



E-Z Kleen Vinyl™

All purpose matting features round rib corrugations that prevent dirt and debris from clogging the surface.

Material: 100% Koroseal[™] vinyl with wide round ribbed surface

Thickness: 1/8"

Color: Black, Brown

Size: Rolls – 2' x 35 yds., 3' x 35 yds., 4' x 35 yds.

Special Cuts – 2', 3', and 4'

wide up to 35 yds.





Runner Matting

Flip Over™

Anti-fatigue, low maintenance runner mat with raised knobs and round perforations for excellent drainage and reduced slippage.

Material: Heavy duty rubber with an open-raised

knob surface

Thickness: 3/8"

Color: Red, Black
Size: Rolls – 3' x 36'

Special Cuts – 3' up to 36'



Textured Rubber

Economical general purpose rubber runner with nondirectional abrasive non-skid surface.

Material: Textured rubber top with fabric

impression back

Thickness: 1/8"

Color: Black

Size: Rolls – $3' \times 26$ yds.

Special Cuts - 3' up to 26 yds.



Recycled Rubber Runner

A heavy duty recycled rubber runner. Rough surface provides excellent traction in wet or dry areas.

Material: Post consumer recycled rubber made

from tires

Thickness: 5/32"
Color: Black

Size: Rolls – 4' x 49'6"

Special Sizes – 4' up to 49'6"



Clear Vinyl

Heavy gauge clear vinyl mat protects carpets from wear and soil. Pointed grippers keep mat in place.

Material: Clear commercial gauge vinyl with

linear pattern and gripper back

Thickness: 3/16"
Color: Clear

Size: Rolls – 27" x 60', 36" x 60', 48" x 60'

Special Cuts - 27", 3', and 4' wide up to 60'



Clear Vinyl Diamond Surface

Protects floors while the diamond pattern helps clean shoes. Smooth back makes it ideal for almost any hard surface. Commercial grade clear surface allows your floor to still be seen while remaining attractive.

Material: Clear commercial grade vinyl with

diamond pattern surface and smooth back

Thickness: Approximately 3/32" (2mm)

Color: Clear

Size: 3' x 60', 4' x 60'

Special cuts 3', 4' wide up to 60'



Impact Sports Mat™

Superior quality, thick mat protects against floor damage from dropped weights and spiked shoes. The textured non-skid surface provides added traction for sure footing.

Material: Rubber with a pebbled surface

 Thickness:
 ½", ¾"

 Color:
 Black

 Size:
 48" x 72"



Anti-Slip Tape

Self-adhesive, abrasive non-skid rolls and standard sizes. Perfect for inclines and most wet areas. Applies to most surfaces easily and maintenance free.


Surface: Non-skid texture

Color: Black, Yellow, Black & Yellow Striped **Size:** Rolls – 1" x 60', 2" x 60', 4" x 60', 6" x 60'

Pieces – (sets of 50) 5.5" x 5.5"

(black only) 6" x 24"





Open grid design raises foot traffic above wet floors and helps prevent slipping. Beveled ramps on three sides provide extra safety.

Material: 100% recycled PVC plastic with an open mesh surface

Thickness: ¾"


Color: Workstation – Black with Yellow Safety

Borders, Grit Top with Yellow Safety Borders Eyewash Mat – Green Tile with Yellow Safety Border, Red Tile with Yellow Safety Border

Size: Workstation – 26.5" x 41", 38.5" x 65"

Eyewash Mat – 26.5" x 29", 38.5" x 41"





Specialty Products

Enforcer

Custom floor covering for entrances where oversized or wall to wall coverage is needed. The Heavy Duty Needlepunch (HDNP) fiber is the perfect commercial high traffic floor covering product.

Material: 100% solution dyed UV stable

polypropylene fiber pin surface

Thickness:

Color: See website for current colors Size: Rolls - 6'7" x 82' and 13'2" x 68'8"

Special sizes available up to 13'2" wide

Bevel edging available





Carpet Tile Diagonal

Heavy duty diagonal carpet tile provides excellent scraping and dirt removal. Tile contains 52.05% post consumer content.

Material: 100% polypropylene nylon yarn on

bitumen backing

Thickness:

Color: Beige, Blue, Gray, Charcoal

1911/16" x 1911/16" Size:

Special Note: Sold in full cases of 12 tile only





Carpet Tile Pin

Heavy duty pin top tile is excellent for heavy traffic applications. UV stable pin surface scrapes dirt and moisture from feet. Tile contains 53.89% post consumer content.

Material: Polypropylene fiber surface with a

pin design on bitumen backing

Thickness:

Color: Sable Brown, Midnight Blue, Black Walnut,

Tweed Brown, Charcoal, Autumn Red, Dark Gray, Spruce, Natural, Sapphire

Size: 19¹¹/₁₆" × 19¹¹/₁₆"

Special Note: Sold in full cases of 12 tile only



Vylon

Colorful, stain-resistant vinyl link mat provides good traction under foot and captures dirt from shoes. Close weave surface construction ideal for applications where high-heeled shoe traffic is present. Mat available with custom logos and lettering.

Material: Extruded vinyl links, ½" wide x 2" long

on galvanized steel wires

Thickness: 7/16"

Color: Brown, White, Red, Light Blue,

Brick Red, Black, Yellow, Blue, Tan, Green, Gray, Burgundy

Size: Custom

Nosing: Beveled (BN), Square (SN)

or a combination of both



Frontrunner

Aggressive open grid entrance matting with tread surface traps dirt and allows moisture to drain through with ease. Heel and wheel proof system available in rolls for larger areas.

Material:Extruded PVCThickness:.55" (14mm)

Color: Black, Blue, Brown, Gray **Size:** 2' x 33', 3' x 33', 4' x 33'

Special Cuts - 2', 3', and 4' wide up to 33'



Recessed Cocoa Matting

Tough natural fibers remove grit from shoes and absorb and retain tracked in moisture. Fiber yarn is imbedded in heavy vinyl backing. Dries rapidly to prevent mildew or rot.

Material: Cocoa fiber yarn bonded

to solid vinyl backing

Thickness: %", ¾", 1", 1¼"

Color: Natural tan

Size: Custom



Aluminum Pre-Sized Recessed Frames

Item No.	Position	Application
340C0000A	"A"	Marble or Terazzo
340C0000B	"B"	3/16" Resilient Floors
340C0000C	"C"	1/8" Resilient Floors
340C0000H	"H"	Flush Wall Recessed
340C0000RV	"H-Reverse" depth over % "	Reverse Miter for Recess

Note: H Frame also available in bronze

Surface frames also available.



DuraLoop Standard Duty

Excellent scraping action and multidirectional walking surface. UV stabilized to resist fading. Use in exterior or interior applications. Stain and mildew resistant and resistant to most chemicals.

Material: Extruded vinyl with looped surface

Thickness: .47" (12mm)

Color: Blue, Red, Green, Brown, Gray, Black*
Size: Standard – 2' x 3', 3' x 5', 4' x 6'

Rolls - 3' x 40', 4' x 40',

Special Cuts - 3' and 4' wide up to 40'



DuraLoop Heavy Duty

Provides excellent scraping action indoors, outdoors and in vestibule entrances.

Material: Extruded vinyl
Thickness: .59" NO backing

Color: Blue, Red, Green, Brown, Gray, Black*

Size: Rolls – 3' x 40', 4' x 40'

Special Cuts – 3' and 4' wide up to 40'



NEW

DuraLoop Dual Color

Perfect for outdoor or vestibules with medium to high traffic. Excellent scraping action and multi-directional walking surface. Dual color fiber looped design scrapes debris and dirt from feet.

Material: Extruded PVC Thickness: .55" Backed

Color: Black/Gray, Brown/Beige Size: Standard – 3' x 5', 4' x 6'

Rolls – 3' x 40' and 4' x 40'

Special Cuts - 3' and 4' wide up to 40'



*Additional colors available - call for more info.

Fingertip

Brushing action of thousands of resilient rubber fingertips wipe off dirt and moisture from footwear. All four sides have beveled edging to improve safety at the facility entrance.

Material: Top quality molded rubber with a

fingertip surface

Thickness: 5%"

Color: Black

Size: 16" x 24", 24" x 32", 28" x 46",

32" x 39", 36" x 60", 36" x 72"



Entrance & Carpet M

Scraper Mat



Outdoor economical, commercial rubber mat that provides enhanced traction and scrapes dirt and debris from shoes.

Material: Top quality molded rubber

Thickness: ¼"

Color: Black

Size: 2' x 3', 3' x 5', 4' x 6'



Par-K

Parquet pattern outdoor entrance mat provides excellent multi-directional cleaning performance.

Material: High quality 96% recycled rubber

compound

Thickness: 3/8"

Color: Black

Size: 2' x 3' (23" x 36"), 3' x 5' (36" x 57"),

4' x 6' (45" x 67")



Cocoa Entry

Natural cocoa fibers are woven into a dense high pile mat. The rough absorbent fibers effectively trap dirt and moisture and hold up under busy foot traffic.

Material: Imported natural cocoa fiber, woven edges and backing

Thickness: 38mm approximately

Color: Natural

Size: 14" x 24", 16" x 27", 18" x 30",

22" x 36", 24" x 39", 26" x 42", 30" x 48", 36" x 48", 36" x 60",

36" x 72", 48" x 72"





Niagra

Surface gives superb absorption and wearability. Holds up to 1½ gallons of water per square yard.

Material: Polypropylene Needlepunch fiber surface with a

reinforced nitrile rubber gripper backing

Thickness:

Color: Gray, Walnut, Burgundy, Charcoal, Blue, Green, Red, Beige

Size: 2' x 3', 3' x 4', 3' x 5', 3' x 10', 3' x 12',

3' x 20', 4' x 6', 4' x 8', 4' x 10',

4' x 12', 4' x 20', 6' x 8'

Custom Sizes - 3', 4', and 6' wide up to 20

Border: Available in black rubber or fabric.

> If no border is specified. black rubber will be sent.



Ridge-Way

The raised fabric covered pattern removes dirt and moisture from feet. Beveled edging and recessed grooves help to prevent falls and collect moisture.

Polypropylene needle punch fiber surface with a Material:

reinforced Nitrile rubber gripper backing.

Thickness:

Color: Gray, Walnut, Burgundy, Charcoal, Blue, Green, Red, Beige

2' x 3', 3' x 4', 3' x 5', 3' x 10', 3' x 12', Size:

3' x 20', 4' x 6', 4' x 8', 4' x 10', 4' x 12', 4' x 20', 6' x 8'

Custom Sizes - 3', 4', and 6' wide up to 20'

Border: Available in black rubber or fabric.

> If no border is specified, black rubber will be sent.



Stop-N-Dry

Economical quick drying and excellent for harsh climates. Will not wrinkle, mildew, or shrink.

Material: Raised polyester carpet fiber with SBR/NR non-staining/

non-marking anti-skid rubber backing

Thickness:

Color: Gray, Brown, Blue, Charcoal Size: 2' x 3', 3' x 4', 3' x 5',

3' x 10', 4' x 6', 4' x 10'



Spectra Nylon

Plush, solution dyed nylon carpet with rubber backing, traps dirt and moisture below the surface as traffic enters your building. The rubber back and edge provides extra durability while the gripper back helps keep mat in place. Easy to clean, just vacuum, commercial clean, or machine wash.

Material: 100% solution dyed nylon carpet with rubber backing

Thickness: Approximately 3/8"

Color: Black, Brown, Charcoal, Gray, Blue

2' x 3' (23" x 34"), 3' x 5' (34.50" x 55.50") Size:

3' x 10' (34.50" x 116.25"), 4' x 6'

(43.25" x 66.50"), 4' x 8' (43.25" x 93.00") Custom Sizes – 3', 4', and 6' wide up to 20



Spectra-Rib

Ribbed polypropylene fibers effectively traps moisture.

100% polypropylene backing with ribbed surface

Thickness: 3/8"

Color: Brown, Gray, Charcoal, Red Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8' Rolls – 3', 4', and 6' wide $\times 60'$

Special Cuts - 3', 4', and 6' wide up to 60'



Spectra-Olefin

Plush olefin high quality mat.

Material: 100% Olefin pile on vinyl backing with plush surface

Thickness:

Color: Brown, Charcoal, Red, Blue Size:

2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'

Rolls - 3', 4', and 6' wide x 60'

Special Cuts - 3', 4', and 6' wide up to 60'



Spectra-Pin

A medium to heavy traffic wiper and scraper mat with raised berber design.

Material: Polypropylene fiber on vinyl backing

Thickness: Approximately 3/8"

Color: Charcoal, Brown, Gray, Green, Burgundy

Size: 2' x 3', 3' x 4', 3' x 5',

3' x 6', 4' x 6', 4' x 8' Rolls - 3' x 60', 4' x 60', 6' x 60'

Special Cuts - 3', 4', and 6' wide up to 60'



Chevron

Vivid, non-fading needle punch wiper/scraper mat featuring chevron-patterned surface.

Material: 100% polypropylene chevron fiber with vinyl backing.

Thickness:

Color: Charcoal, Burgundy, Green, Blue, Brown

2' x 3', 3' x 4', 3' x 5', Size:

3' x 6', 4' x 6', 4' x 8'

Rolls - 3' x 60', 4' x 60', 6' x 60'

Special Cuts - 3', 4', and 6' wide up to 60'



Wipe-N-Walk


Value plus service reliability are provided by absorbent Olefin nap matting.

Material: 100% olefin fiber on vinyl backing

Thickness: Approximately 1/4" Color: Brown, Charcoal Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'







Nylon Carpet Logo

Promote your company brand in an attractive and economical way. Solution dyed to ensure precise replica of graphics and logo.

Material: Solution dyed nylon plus twist carpet with smooth nitrile rubber backing

Thickness: 3/8"

Color: See website or call for color chart Size: 2' x 3', 3' x 5', 3' x 10', 4' x 6'

Custom Sizes – 3', 4', and 6' wide

up to 20' long



Vylon Logo

Colorful, stain-resistant vinyl link mat provides good traction under foot and captures dirt from shoes.

Material: Extruded vinyl links, ½" wide x 2" long on galvanized steel rods

Thickness: 7/16

Color: Brown, White, Red, Light Blue,

Brick Red, Black, Yellow, Blue, Tan, Green, Gray, Burgundy

Size: Custom

Nosing: Beveled (BN), Square (SN)

or a combination of both



Niagra Custom Inlay

100% UV resistant polypropylene fiber with inlay process with up to 18 colors per mat. Molded rubber gripper backing traps dirt and moisture. No set up or art charges.

Material: Polypropylene needlepunch surface with a reinforced

rubber gripper backing

Thickness: 3/81

Custom Sizes – 3', 4', and 6' wide up to 60'.

Most colors available.

Border: Black rubber or fabric

If not specified rubber will be supplied



NEW

Enforcer Custom Inlay Logo Mat

Enhance your entrance inside or outside with a custom inlay logo mat. The 100% polypropylene fiber is UV stable and available in sizes up to 13' wide and 70' long. The non-skid backing and heavy duty edging keep the mat in place.

Material: 100% polypropylene surface with

non-skid rubber backing

Color: Over 30 colors, See website or call for color

choice

Size: Up to 13' wide and 70' long

Note: Color proof will be provided for approval

on all mats before they are manufactured



Size Chart

Quick Reference Guide

						•	Superior Serior					ļ
PRODUCT NAME	Material	Thickness	Recycled Content Warranty Standard	Warranty S	tandard R	Cus Rolls Wi	Custom Cu Widths Le	Custom Lengths Mod	Glue Down War Tile	PRODUCT NAME	Material	
TIRE LINK MATS										ESD		4
Durite	Rubber	8%	×	1 year	×		×	×		Switchboard	Vinyl	
Dura-Rug	Rubber	***	×	1 year	×		×	×		Diamond Switchboard	Vinyl	
DURA-TILE II										Military Switchboard	Vinyl	
Dura-Tile II (all styles)	Rubber	-8 ₈	×	Durable		×		×	×	Conductive Diamond-Dek Sponge™	ım Vinyl	
SAFE-ZONE HIGH VISIBILITY MATTING	9									RUNNER MATTING		
Diamond-Dek Sponge-HV	Vinyl	9½		3 year	×	×	×	×		Corrugated Rubber TM	Rubber	
Workmaster II-HV	Rubber	****		1 year	×		×	×		Heavy Duty Corrugated Rubber™	Rubber	
Anti-Slip Tape-HV	Taper					×				Heavy Duty Corrugated Rubber Fine Rib		
ANTI-FATIGUE – DRY AREA										Diamond-Dek Runner	Vinyl	
Grand-Stand Vinyl™	Vinyl	1/5	×	1 year	×	×	×	×		EZ Kleen Vinyl™	Vinyl	
Grand-Stand Vinyl HD	Viny	15/6"	×	1 year	×	×	×	×		Flip Over [™]	Rubber	
Grand-Stand Textured™	Rubber	1/2"	×	2 year	×	×		×		Textured Rubber	Rubber	
Grand-Stand Deluxe™	Rubber	1/2"	×	2 year	×	×		×		Recycled Rubber Runner	Rubber	
Grand-Stand Beauty & Barber TM	Rubber	1/2"	×	2 year	×			×		Clear Vinyl	Vinyl	
Grand-Stand Vinyl Beauty & Barber	Vinyl	1/2", 15/16"	×	2 year	×			×		Clear Vinyl Diamond Surface	Vinyl	
Diamond-Dek Sponge	Vinyl	9%	×	3 years	×	×	×	×		HIGH ACTIVITY MATTING		
Diamond-Dek Sponge HD™	Vinyl	15/16"	×	3 years	×	×	×	×		Impact Sports Mat™	Rubber	
Diamond-Dek Sponge Supreme	Vinyl	34"	×	3 years	×	×	×	×		SPECIALTY		
Urethane HD	Urethane	* %		5 years	×					Anti-Slip Tape	Tape	
Bubble Mat	Rubber	-8%		1 year	×					Cushion Tile Workstation/Eyewash	sh Vinyl	
Sof-Spun %"	Vinyl	-8% -8%		1 year	×	×		×		ENTRANCE		
Sof-Spun 1/6"	Vinyl	-8%		1 year	×	×		×		Enforcer	Polypropylene	e
Diamond-Dek Sof-Spun	Vinyl	-8%		1 year		×		×		Carpet Tiles Diagonal	Polypropylene	e
Safety Spun [™]	Vinyl	-8%		1 year		×		×		Carpet Tile Pin	Polypropylene	e
	Vinyl	-8%		1 year		×		×		Vylon	Vinyl	
Diamond-Dek Ultra Safe	Vinyl	-8%		1 year		×		×		Frontrunner	Vinyl	22.
Sof-Stand Supreme™	Vinyl	1/5"		1 year	×	×		×		Recessed Cocoa Matting	Cocoa	%. %.
Comfort Stand	Vinyl	-8%		1 year	×	×		×		Aluminum Pre-Sized Recessed Frames	s Aluminum	
	Vinyl	.,8/,		1 year	×	×		×		DuraLoop Standard Duty	Vinyl	
ANTI-FATIGUE – WET AREA										DuraLoop Heavy Duty	Vinyl	
Workstation Plus™	Rubber	½"	×	1 year	×			×		DuraLoop Dual Color	Vinyl	
Workstation	Rubber		×	1 year			×	~ ×	×	Fingertip	Rubber	
Workmaster	Rubber	***	×	1 year	×		×	×		Scraper Mat	Rubber	
Workmaster II	Rubber	***	×	1 year	×		×	×		Ppar-K	Rubber	
Workstation Light	Rubber	½"	×	1 year	×			×		Cocoa Entry	Cocoa	
Workstation Edge	Rubber	1/2"		1 year	×					Niagra	Polypropylene	e
RxMat	Rubber	**		3 years			×	~ ×	v	Ridge-Way	Polypropylene	e
Workstation Nitrile	Rubber	-8%	×	3 years			×	~ ×	×	Stop-N-Dry	Polyester	
Kitchen Grid	Vinyl	-8%	×	3 years		×		×		Spectra Nylon	Nylon	
Work Flow Plus	Rubber	1,7,1		3 years	×			×		Spectra-Rib	Polypropylene	e
Cushion Tile	Vinyl	**	×	1 year				^	×	Spectra-Olefin	Olefin	
Grit Cushion Tile	Vinyl	34"	×	1 year				^	×	Spectra-Pin	Polypropylene	e
Color Cushion Tiles	Vinyl	* /	×	1 year				^	×	Chevron	Polypropylene	e
Heromat	Vinyl	-8%	×	3 years		×				Wipe-N-Walk	Olefin	
Vynagrip	Vinyl	-8%	×	4 years		×		×		Nylon Carpet Logo	Nylon	
Cushion Grid	Vinyl	1/2"	×	2 years		×		×		Vylon Logo	Vinyl	
Heronair	Vinyl	-8% -8%	×	2 years		×		×		Niagra Custom Inlay	Polypropylene	e
												9

Glue Down Tile PRODUCT NAME	Material	Thickness	Recycled Content	Warranty	Standard	Rolls	Custom Warranty Standard Rolls Widths	Custom Lengths	Modular	Glue Down Tile
ESD										
Switchboard	Vinyl	1,4"		1 year		×		×		
Diamond Switchboard	Vinyl	<u> </u>		1 year		×		×		
Military Switchboard		8 /		1 year		×		×		
x Conductive Diamond-Dek Sponge™	™ Vinyl			3 years	×	×	×	×		
RUNNER MATTING										
Corrugated Rubber TM	Rubber	1 /8		1 year		×		×		
Heavy Duty Corrugated Rubber™	Rubber	1,4"		1 year		×		×		
Heavy Duty Corrugated Rubber Fine Rib	3 Rubber	<u>"</u> *		1 year		×		×		
Diamond-Dek Runner	Vinyl		×	1 year		×		×		
EZ Kleen Vinyl™	Vinyl	8 //	×	1 year		×		×		
Flip Over [™]	Rubber	-8 ₈		1 year		×		×		
Textured Rubber	Rubber	1 /8		1 year		×		×		
Recycled Rubber Runner	Rubber	28 28	×	1 year		×		×		
Clear Vinyl	Vinyl	3/1e		1 year		×		×		
Clear Vinyl Diamond Surface	Vinyl			1 year		×		×		
HIGH ACTIVITY MATTING										
Impact Sports Mat ^{rm}	Rubber	1/2", 3/4"	×	3 years	×					
SPECIALTY										
Anti-Slip Tape	Tape	n/a		1 year	×	×				
Cushion Tile Workstation/Eyewash		***	×	1 year	×					
ENTRANCE										
Enforcer	Polypropylene	91//	×	1 year		×	×	×		
Carpet Tiles Diagonal	Polypropylene	-8 _*	×	3 years						×
Carpet Tile Pin	Polypropylene		×	3 years						×
Vylon	Vinyl			Durable			×	×		
Frontrunner	Vinvl	.55" (14mm)	×	4 years		×		×		
Recessed Cocoa Matting	Cocoa	98".3%".1".11%".		1 vear			×	×		
Aluminum Pre-Sized Recessed Frames	₹	n/a		ļ				×		
DuraLoop Standard Duty	Vinyl	.47"		1 year	×	×	×	×		
DuraLoop Heavy Duty	Vinyl	.29"		1 year		×	×	×		
DuraLoop Dual Color	Vinyl	.47"		1 year	×	×	×	×		
Fingertip	Rubber	%		1 year	×					
Scraper Mat	Rubber			1 year	×					
Ppar-K	Rubber	-8 _%	×	1 year	×					
Cocoa Entry	Cocoa	11/2"		1 year	×					
Niagra	Polypropylene	 %		Durable	×			×		
Ridge-Way	Polypropylene	3% - 8		Durable	×			×		
Stop-N-Dry	Polyester	-% %	×	Durable	×					
Spectra Nylon	Nylon	-8/8		1 year	×			×		
Spectra-Rib	Polypropylene	-8/e	×	1 year	×	×		×		
Spectra-Olefin	Olefin	-8%	×	1 year	×	×		×		
Spectra-Pin	Polypropylene	 %		1 year	×	×		×		
Chevron	Polypropylene	-8 ₈		1 year	×	×		×		
Wipe-N-Walk	0lefin	<u>"</u> *		1 year	×					
Nylon Carpet Logo	Nylon	-8 _*		Durable	×			×		
Vylon Logo	Vinyl			Durable			×	×		
Niagra Custom Inlay	Polypropylene	= 8%		Durable	×			×		
Enforcer Custom Inlay Logo Mat	Polypropylene	,, ₁₈ ,	×	Durable		×	×	×		

Terms & Conditions

Standard Warranty

All Durable Corporation floor covering products are guaranteed to be free of defects in material and workmanship under normal conditions of usage, provided our recommended installation and maintenance instructions are followed. Any defective material will be replaced at our expense if a claim is reported to us in writing, and if our examination shows that the product has failed under the terms of this Warranty. The maximum period of responsibility under this Warranty is one (1) year from the date of shipment.

Verbal Quotations

All verbal quotations must be documented with our quotations number. No verbal quotation will be valid without such documentation.

Terms

Terms are 1% 10, net 30 days, subject to credit approval. A ½% finance charge may be applied to accounts past 30 days.

Pricing

All prices are FOB shipping point. Prices are subject to change without notice. When price changes are necessary, we will make every effort to provide advance notification, allowing reasonable time for customers to make their price adjustments.

Shipping Charges

All orders are FOB shipping point. Unless specifically requested otherwise, all shipments sent by motor freight will be sent prepaid and added to invoice when shipping from Norwalk, Ohio, and other locations. When necessary, shipment may be sent prepaid with transportation charges sent directly to customer, and a service charge may apply. Orders will be shipped via United Parcel Service (UPS) or Federal Express whenever possible. When small parcel weights are exceeded, we will always ship the least expensive, most direct way, unless otherwise specified by customer. All weights shown in this catalog are approximate and may vary from one production run to another. Durable reserves the right to ship product via its desired carriers. If other carriers are specified, special handling charges may apply. A handling fee will be applied per package to all small parcel shipments sent collect and 3rd party.

Product Stability

Every effort has been made to accurately describe our products and to define their general usage. Determination of the suitability of any product and any application contemplated by the Buyer is the sole responsibility of the Buyer or User. In the event of improper product selection by the Buyer, Durable Corporation makes no warranty or guarantee of results to be obtained since use and application by the Buyer are beyond our control. If in doubt as to the suitability of a particular product application, please contact our Sales Department. We will not be liable for damages in excess of the purchase price of the product.

Product Specifications

Specifications for all products are subject to change without prior written notice, when such changes are made to achieve improved product appearance, design or performance.

Color Specifications

Product colors are reproduced in our catalog as accurately as possible. Colors represent average production runs and may vary in shade from time to time, depending upon dye lot and compound variations.

Image Proportions

Because of this catalog's design, images may not be proportional from one mat to the next. Visit www.durablecorp.com for more photographs "on location."

Returned Goods

Every effort will be made to accommodate requests for returned merchandise. Please contact our Customer Service Department for assistance in making arrangements for returns. When return authorization is granted, merchandise must be returned to us freight Prepaid and side marked with the assigned return authorization number. Merchandise must be packaged properly. A restocking charge of up to 30% will be enforced on ALL standard stock items returned. Special size, special run, special color, or custom made materials are not returnable. Authorizations to return merchandise are valid for sixty (60) days.


Damaged Goods/ Shortages

To protect your interests, it is imperative to inspect and count articles before accepting shipment. Damages or shortages should be documented on the delivery receipt. If damage or shortage occurs, contact our Customer Service Department for assistance in filing a claim. Filing claims with freight carriers is the responsibility of the consignee. Claims for lost or damaged goods cannot be honored after six (6) months from the date of shipment.

Ordering Instructions

Each product description in this catalog includes ordering instructions which specify the information required for ordering that particular item. These instructions will vary according to the different product characteristics. It is essential to provide all the information specified in Ordering Instructions to assure shipment of the desired item without delays that might result from incomplete information. For items where Width and Length are to be specified, it is important to note that Width is the measurement from left to right as you approach the mat; and Length is the distance over which you travel (front to back).

Measuring Diagram





75 N. Pleasant Street P.O. Box 290 Norwalk, Ohio 44857

 Local Phone:
 419-668-8138

 Phone:
 800-537-1603

 Local Fax:
 419-668-8068

 Fax:
 800-537-6287

Email: sales@durablecorp.com

www.durablecorp.com

Copyright 2019 Durable Corporation, All Right Reserved