

# Full Line Matting & Flooring Catalog





# Welcome to Durable

Durable patented the original tire link mat in 1923. Since then we have been recycling tires and producing these mats in the same high quality way; proving that a really good idea never goes out of style!

You will find outstanding products in this catalog, designed to meet all of your industrial and entrance needs. Our mats will help keep your floors looking great and provide extra safety. We have a variety of textures and colors available to match any décor. No matter which Durable mat you choose, you will appreciate their exceptional quality and value.

If you are looking for a mat that we do not offer in the catalog contact Customer Service to see if we have it available. We have chosen the most popular products to offer.



## Connect with Us

Visit [durablecorp.com/catalogs](http://durablecorp.com/catalogs) to view this catalog and others on-line.



Durable/Corp



Durable1923



watch?v=R\_XNq2bbRFA



## Striving to Serve You Better!

Our 2018 catalog is designed to work hand in hand with your Smartphone, Notepad, or Computer. Each product shown in this catalog has a brief description along with other basic product information. The barcode next to each product links you directly to the specific product page on the website quickly and easily for detailed information. Simply download one of several barcode readers from your App Store and follow directions. If you register with us at [www.durablecorp.com](http://www.durablecorp.com) you may also view your pricing and have access to product promotions.

**Note:** Some restrictions do apply when setting up an account at [www.durablecorp.com](http://www.durablecorp.com). Scan for current information on each product or visit [www.durablecorp.com](http://www.durablecorp.com).

# Tire Link Mats

Durite



Provides excellent drainage, foot comfort, and traction.  
Easily rolled for cleaning and storage.

**Material:** Recycled rubber links from recycled tires woven on galvanized wires with open weave surface

**Thickness:** 5/8"

**Color:** Black

**Size:** 14" x 22", 17" x 25", 18" x 96" 20" x 30",  
24" x 36",  
24" x 48", 24" x 60", 24" x 72", 30" x 48",  
30" x 60", 36" x 48", 36" x 60", 36" x 72",  
36" x 96", 36" x 120", 36" x 144"



**Options:** Black beveled nosing



Dura-Rug



Carpet like nap and open mesh construction absorb moisture and traps dirt from foot traffic.

**Material:** Pile top rubberized fabric links from recycled tires woven on galvanized steel rods with open weave surface

**Thickness:** 3/4"

**Color:** Natural

**Size:** 14" x 22", 17" x 25", 20" x 30", 24" x 36",  
30" x 48", 30" x 60", 36" x 72"



**Options:** Beveled or squared nosing available



**Note:** All Durite and Dura-Rug sizes are approximate. The only way to guarantee size is to add square or bevel nosing.



# Dura-Tile

## Dura-Tile



Environmentally friendly, made from post-consumer bias-ply bus and truck tires. Attractive carpet-like surface provides a touch of luxury in areas of frequent foot traffic. Traps dirt, absorbs moisture, and protects floors. Suitable for any entrance, wall to wall floor covering, or areas where a durable high traffic glue down tile is required.\*

**Material:** Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.  
Backing – Spunbond polyester or Vulcanized rubber. (NEW)

**Thickness:**  $\frac{3}{8}$ "

**Color:\*\*** Earthtone\*

**Size:** 12" x 12"



## Dura-Tile Rolls

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering.\*

**Material:** Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.  
Backing – Spunbond polyester or Vulcanized rubber. (NEW)

**Thickness:**  $\frac{3}{8}$ "

**Color:\*\*** Earthtone

**Size:** 12" x 25'; Special Sizes – 12" up to 30'



## Dura-Tile Accessories

Dura-Tile II in all styles is a glue-down product. See price book for adhesive, bevel nosing, and aluminum recess frame options.



**\*Special Note:** Meets or exceeds Federal flammability regulations CPSC-FF 1-70, 16 CFR, and ASTM D 2859-96. Recycled content <95% post-consumer. Dura-Tile II with polyester backing is shipped unless specified.

**\*\*Color:** Colors will vary from tile to tile due to tile strips





## Designer Dura-Tile


Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering. The one square foot triangular tile can be made into a two piece 17" x 17" tile or a four piece 24" x 24" tile. Combine with standard Dura-Tile, Rolls or Colored Dura-Tile to create custom designs and layouts.\*

**Material:** Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.  
Backing – Spunbond polyester or Vulcanized rubber. (NEW)

**Thickness:** 3/8"

**Color:\*\*** Earthtone

**Size:** 1 square foot triangle 12" x 12" x 17",  
16 square feet per case, sold in full cases only



## Dura-Tile Colors


Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering. Engineered coloring process will not transfer to other surfaces and will hold up for years with proper cleaning.\*

**Material:** Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.  
Backing – Spunbond polyester or Vulcanized rubber. (NEW)

**Thickness:** 3/8"

**Color:\*\*** Blue Tone, Red Tone, Green Tone, Charcoal Tone, Brown Tone

**Size:** Dura-Tile II, Designer Dura-Tile and Rolls can be colored.  
Minimum order 250 square feet. Full case orders only.



**\*Special Note:** Meets or exceeds Federal flammability regulations CPSC-FF 1-70, 16 CFR, and ASTM D 2859-96. Recycled content <95% post-consumer. Dura-Tile II with polyester backing is shipped unless specified.

**\*\*Color:** Colors will vary from tile to tile due to tile strips



# Anti-Fatigue – Dry Area

## Grand-Stand Vinyl™

Tough wearing smooth marbleized vinyl with sponge base is a less expensive alternative to rubber surface mats.

**Material:** 1/8" smooth vinyl surface with a 3/8" thick sponge base  
**Thickness:** 1/2"  
**Color:** Marble – Gray, Black/White, Blue, Charcoal  
**Size:** 24" x 36", 36" x 60"  
Rolls – 3' x 75', 4' x 75'  
Special Cuts – 3', and 4' wide up to 60'



## Grand-Stand Vinyl HD

Extra thick PVC sponge base is bonded to a marbleized vinyl top surface. Bevel edge on all sides provides added safety.

**Material:** 1/8" vinyl surface bonded to a 3/4" vinyl sponge base  
**Thickness:** 7/8" approximately  
**Color:** Marble Black, Blue, Gray, Charcoal  
**Size:** 24" x 36", 36" x 60"  
Rolls – 3' x 75', 4' x 75'  
Special Sizes – 3' and 4' up to 75'



## Grand-Stand Textured™

Textured rubber surface with resilient rubber foam base is excellent for reducing worker fatigue. Ideal for industrial applications and areas where limited welding occurs.

**Material:** 1/8" textured rubber surface with a 3/8" rubber sponge base  
**Thickness:** 1/2"  
**Color:** Black  
**Size:** 2' x 3', 3' x 5'  
Rolls – 3' x 75', 4' x 75'  
Special Cuts – 3' and 4' wide





## Grand-Stand Deluxe™

Natural rubber foam base provides excellent comfort. Beveled edges on all sides add extra measure of safety.

**Material:** 3/32" Thermoset Vulcanized Rubber (SR) smooth surface bonded to a 3/8" resilient rubber foam base

**Thickness:** 1/2"

**Size:** 24" x 36", 36" x 60"  
Cuts 3' up to 60'

**Color:** Marble Gray, Blue, Black & White,  
Solid – Black



## Grand-Stand Beauty & Barber™

Custom made mats feature a long wearing rubber surface bonded to a resilient rubber foam base. Built-in beveled edge base adds an extra measure of safety and virtually eliminates tripping.

**Material:** 3/32" Thermoset Vulcanized Rubber (SR) smooth surface bonded to a foam base

**Thickness:** 1/2"

**Shape:** Circular or Rectangular

**Size:** Rectangular – 36" x 52", 36" x 54",  
36" x 60"  
Circular – 36" x 64", 36" x 72"

**Color:** Marble Gray, Blue, Black & White,  
Solid – Black



## Grand-Stand Vinyl Beauty & Barber

Durable 1/8" PVC marble surface bonded to a resilient 3/8" sponge base. Available in standard sizes and four attractive colors to compliment any decor. All standard sizes have recess for chair to sit. Cut-outs available at no additional charge. Custom size available upon request.

**Material:** 1/8" PVC marble smooth vinyl surface with 3/8" thick sponge base

**Thickness:** Approximately 1/2"

**Color:** Marble Black, Blue, Gray, Charcoal

**Size:** Standard Sizes with cut-out or recess rectangular or circular 36" x 52", 36" x 54",  
36" x 60", 36" x 72"



**Note:** Grand-Stand Deluxe and Beauty & Barber mat color offerings are subject to change. Please contact Customer Service for color availability.



# SAFE D C ZONE™ High Visibility Mats

Promote safety and comfort with high visibility matting. Our exclusive formulated high visibility yellow color clearly identifies work areas where safety is a must. Combine that with three of our most popular anti-fatigue mats and you have the best safety mat available today.

## Diamond-Dek Sponge-HV

Diamond surface provides sure footing in a variety of applications while sponge base reduces fatigue on legs and back.

**Material:** 5/32" vinyl diamond surface bonded to a heavy duty sponge base  
**Thickness:** 3/16"  
**Color:** Hi-Viz Yellow  
**Size:** 24" x 36", 36" x 60"  
Rolls – 3' x 75'  
Special Cuts – 3' wide up to 75'



## Workmaster II-HV

Tough industrial mat with Hi-Viz beveled edges creates an ultra-safe work area.

**Material:** Open circular grease resistant rubber compound with PVC edging  
**Thickness:** 3/4"  
**Color:** Black with Hi-Viz Yellow Edging  
**Size:** Edging 3 sides – 26" x 40", 38" x 52", 38" x 64", 38" x 124"  
Edging 4 sides – 28" x 40", 40" x 52", 40" x 64", 40" x 124"



## Anti-Slip Tape-HV

Self-adhesive, abrasive non-skid tape is perfect for inclines and most wet areas. Applies easily to most surfaces.

**Surface:** Non-skid texture  
**Color:** Hi-Viz Yellow  
**Size:** 1" x 60', 2" x 60', 4" x 60', 6" x 60'





## Diamond-Dek Sponge

Heavy duty matting provides sure footing in a variety of applications. Beveled edges and colored safety borders promote safety while reducing fatigue on the legs and back.

**Material:** 5/32" vinyl diamond treaded surface bonded to a heavy duty foam

**Thickness:** 1/16"

**Color:** Black, Gray, Black with Yellow Border

**Size:** 24" x 36", 36" x 60"  
Rolls – 2' x 75', 3' x 75', 4' x 75'  
Special Cuts – 2', 3', and 4' wide up to 75'



## Diamond-Dek Sponge HD™

Extra thick industrial grade foam on a diamond tread surface provides sure footing, superior comfort, and anti-fatigue for workers.

**Material:** 5/32" vinyl Diamond-Dek surface bonded to a resilient 3/4" thick foam

**Thickness:** 7/8"

**Color:** Solid Black, Black with Yellow Border

**Size:** 24" x 36", 36" x 60"  
Special Cuts – 2', 3', and 4' wide up to 75'



## Diamond-Dek Sponge Supreme

The ultimate in durability and comfort. Diamond tread surface bonded to a heavy grade PVC sponge base. The specially formulated sponge is ideal for areas where standing long periods of time is required.

**Material:** 5/32" vinyl diamond tread surface is bonded to a 1/16" heavy duty blue vinyl sponge base

**Thickness:** 3/4" approximately

**Color:** Solid Black, Black with Yellow borders

**Size:** 24" x 36", 36" x 60"  
Rolls – 2' x 75', 3' x 75', 4' x 75'  
Special Cuts – 2', 3', and 4' wide up to 75'



## Urethane HD **NEW**

The Softest anti-fatigue mat available. Crush resistant, UV Stable, and chemical resistant 100% poly-urethane mat with built in bevel edge for added safety. Ideal for Industrial and Commercial use.

**Material:** 100% poly-urethane

**Thickness:** 3/4"

**Color:** Black

**Size:** 18" x 24", 24" x 36"



## Bubble Mat

Designed for comfort and durability. Holds up to the toughest conditions.

**Material:** SBR/NR non-staining, non-marking with a raised bubble surface

**Thickness:** 1/2"

**Color:** Black, Black with Yellow Border

**Size:** 24" x 36", 36" x 48"





# Anti-Fatigue – Dry Area

## Sof-Spun 3/8"

Sponge vinyl cushioned mat helps ease foot, leg, and back fatigue at standing workstations. The corrugated sponge vinyl surface traps dirt, resists oil and grease, and will not absorb water.

**Material:** Sponge vinyl core with a wide ribbed corrugated surface  
**Thickness:** 3/8"  
**Color:** Black, Gray  
**Size:** Standard – 27" x 36", 27" x 60", 36" x 60"  
Rolls – 2' x 60', 3' x 60', 4' x 60', 6' x 60'  
Special Cuts – 2', 3', 4', and 6' wide up to 60' (Cut Lengths available in black only.)



## Sof-Spun 5/8"

Durable, economical PVC sponge helps ease foot, leg, and back fatigue at standing workstations. Corrugations trap dirt and provide added traction.

**Material:** Sponge vinyl with a wide corrugated surface  
**Thickness:** 5/8"  
**Color:** Black  
**Size:** Standard – 24" x 36", 36" x 60"  
Rolls – 2' x 60', 3' x 60', 4' x 60', 6' x 60'  
Custom Lengths – 2', 3', 4', and 6' wide up to 60'



## Diamond-Dek Sof-Spun

Ideal for use in factories and warehouses at workstations and assembly lines. Resists oil and grease and will not absorb water.

**Material:** Sponge vinyl core with a diamond tread surface  
**Thickness:** 3/8"  
**Color:** Black  
**Size:** Rolls – 2' x 60', 3' x 60', 4' x 60'  
Special Cuts – 2', 3', and 4' wide up to 60'



## Safety Spun™

Anti-fatigue mat with beveled edges and OSHA Yellow borders makes any area a safer place to work.

**Material:** Sponge vinyl core with a wide ribbed corrugated surface  
**Thickness:** 3/8"  
**Color:** Charcoal with safety yellow border  
**Size:** Rolls – 3' x 60', 4' x 60'  
Special Cuts – 3' and 4' wide up to 60'





## Ultra Safe

Polyurethane top coated mat provides improved resistance to abrasion. Pebble surface for easy cleaning.

**Material:** Sponge vinyl core with a pebbled polyurethane coated surface  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Black Pebble with Yellow border  
**Size:** Rolls – 3' x 60', 4' x 60'  
Special Cuts – 3' and 4' wide up to 60'



## Diamond-Dek Ultra Safe

Diamond tread surface with a polyurethane top coating provides outstanding resistance to abrasion.

**Material:** Sponge vinyl core with polyurethane coated diamond tread surface  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Black with Yellow border  
**Size:** Rolls – 3' x 60', 4' x 60'  
Special Cuts – 3' and 4' wide up to 60'



## Sof-Stand Supreme™

IMPROVED  
FORMULA

Sof-Stand Supreme provides more superior comfort than traditional vinyl sponge mats. Pebble embossed vinyl surface is integrated with a moisture resistant closed cell vinyl foam base.

**Material:** Dual density vinyl sponge with a pebble surface  
**Thickness:**  $\frac{1}{2}$ "  
**Color:** Black  
**Size:** 24" x 36", 36" x 60"  
Rolls – 3' x 60', 4' x 60'  
Special Cuts – 3' and 4' wide up to 60'



## Comfort Stand

Added comfort in a single layer sponge. Comfort Stand is 2-3 times more resilient than standard vinyl sponge mats.

**Material:** Cross link Vinyl/Nitrile sponge with textured surface  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Black  
**Size:** 2' x 3' and 3' x 5' bevel edges all sides  
Rolls – 2', 3', and 4' x 60' bevel all sides  
Custom – 2', 3', and 4' wide up to 60' bevel edge on long sides only



## Comfort Stand HD

The ultimate in comfort from a single layer sponge. Comfort Stand HD is ideal in industrial, commercial, and retail applications where standing for long periods of time is required.

**Material:** Cross link vinyl/nitrile sponge with textured surface  
**Thickness:**  $\frac{7}{8}$ "  
**Color:** Black  
**Size:** 2' x 3', 2' x 4', 3' x 4', 3' x 5', and 4' x 6' bevel edges all sides  
Rolls – 2', 3', and 4' x 30' bevel all sides  
Custom – 2', 3', and 4' wide up to 30' bevel edge on long sides only





# Anti-Fatigue – Wet Area

## Workstation Plus™

Extra-tough lightweight matting, ideally suited for workstations in restaurants, kitchens, and industrial applications. Built in beveled edges provide safety, while the open circular mesh surface provides a non-slip footing in wet or oily areas.

**Material:** Black – Grease-resistant rubber compound  
Red – Grease-proof rubber compound

**Thickness:** ½"

**Color:** Red, Black

**Size:** 3' x 5', 3' x 10', 3' x 15', 3' x 20'



## Workstation

Interlocking system available in solid or open mesh design. Mat has built-in interlocking system that can be connected to extend length and width. Beveled edges available.

**Material:** Black – Grease-resistant rubber compound  
Open – Circular; Solid – Texture

**Thickness:** ⅝"

**Color:** Black

**Size:** 36" x 36"



## Workmaster

Durable ¾" heavy duty mat is made for industrial, commercial, and kitchen applications. Drain holes and knob back construction make drainage easy.

**Material:** High quality rubber compound with an open circular surface

**Thickness:** ¾"

**Color:** General Purpose Black

**Size:** 36" x 60"



## Workmaster II

Tough industrial mat with safety orange beveled edge creates an ultra safe work environment at all types of workstations.

**Material:** Grease-resistant rubber with an open circular surface

**Thickness:** ¾"

**Color:** Black, Nosing Color: OSHA Safety Orange (standard), Yellow, Red, Black

**Size:** Color Border All Sides – 28" x 40", 40" x 52", 40" x 64", 40" x 124"  
Color Border 3 Sides – 26" x 40", 38" x 52", 38" x 64", 38" x 124"



## Workstation Light

Economical lighter weight ½" standard duty general purpose mat with built in bevel edge.

**Material:** General purpose rubber compound

**Thickness:** ½"

**Color:** Black, Red

**Size:** 3' x 5'





## Workstation Edge **NEW**

Lightweight kitchen and industrial mat with 1.5" ramped beveled edge for extra safety. Keeps feet dry by draining moisture away from surface, providing non-slip footing in wet or oily areas.

**Material:** Black – General purpose rubber  
Red – Grease resistant rubber

**Thickness:** ½"

**Color:** Black, Red

**Size:** 3' x 5'



## Rx Mat®

This unique multidimensional non-skid Nitrile Rubber tile is excellent for areas where safety is a must. Highly chemical-resistant and easily configured to fit any workstation.

**Material:** Grease proof 100% Nitrile rubber with a raised multi-dimensional surface

**Thickness:** ¾"

**Styles:** Solid, Open, Grit Open

**Color:** Black

**Size:** 18" x 18"



## Workstation Nitrile

Identical to our standard Workstation mat in solid or open style but made with 100% nitrile rubber for the harshest applications. Built in connectors on two sides allows custom sizes to be made in widths and lengths.

**Material:** 100% nitrile rubber compound

**Thickness:** 5/8"

**Color:** Black

**Size:** Mat – solid surface 36" x 36",  
open surface 36" x 36"  
Bevel Edges (optional) – 2" x 36"  
Corners (optional) – 2" x 40"



## Kitchen Grid

Ideal slip resistant and anti-fatigue matting for the food processing industry.

**Material:** Specially formulated animal fat resistant vinyl with an open, slip resistant surface

**Thickness:** 5/8"

**Color:** Terra Cotta

**Size:** Rolls – 2' x 33', 3' x 33', 4' x 33'  
Special Cuts – 2', 3', and 4' wide up to 33'



## Work Flow Plus

Lightweight reversible anti-fatigue mat made from a 100% nitrile compound has excellent anti-slip and drainage properties.

**Material:** 100% nitrile rubber compound

**Thickness:** ¼"

**Color:** Black

**Size:** 3' x 5', 3' x 10', 3' x 15', 3' x 20'





# Anti-Fatigue – Wet Area



## Cushion Tile

Either indoors or outdoors, cushioned matting eases worker fatigue, guards against damage from vibration or slipping. Grease and moisture resistant. Interlocking 12" square tiles can be assembled to meet any dimensional requirements.

**Material:** Recycled flexible vinyl with open waffle grid surface  
**Thickness:** ¾"  
**Color:** Tile – Black; Edging – Black, Yellow  
**Size:** 12" x 12"



## Grit Cushion Tile

Cushion Tile's modular design allows for easy installation into an area of any size or shape. Grit top surface adds extra anti-slip protection.

**Material:** Recycled flexible vinyl with gritted, open, waffle grid surface  
**Thickness:** ¾"  
**Color:** Tile – Black with Grit Surface (Standard)  
Edging – Black, Yellow  
**Size:** 12" x 12"



## Color Cushion Tiles

Safe, sanitary "Cushion Tiles" provide maximum protection from slippery surfaces. Raises foot traffic above wet floors. Open grid design prevents moisture, odor build-up and slows infectious mold, mildew, and bacteria growth.

**Material:** 100% recycled PVC plastic with an open surface  
**Thickness:** ¾"  
**Color:** Blue, Green, Gray, Red, Yellow, Beige  
**Size:** 12" x 12"



**NEW**

## Heromat

Ideal self draining mat that protects compartments and expensive tools from damage. Highly chemical resistant, UV stable and inhibits growth of bacteria.

**Material:** 100% virgin PVC  
**Thickness:** ¾"  
**Surface:** Open grid "duckboard" design  
**Color:** Black, Red  
**Size:** Full Rolls Only, 2' x 33', 3' x 33'





## Vynagrip

The ultimate non-skid drainage mat. Vynagrip offers a “diamond tread” pattern surface on the top and bottom of the matting for increased slip resistance.

**Material:** Extruded PVC  
**Thickness:**  $\frac{5}{8}$ "  
**Color:** Black, Red, Black with Yellow Border  
**Size:** 2' x 33', 3' x 33', 4' x 33'  
Special Cuts – 2', 3', and 4' wide up to 33'



## Cushion Grid

Cushion Grid: Hollow tube construction with tread surface provides air-cushioned comfort. Ideal for use on wet floors. Compound resists oil, grease, fats, alkalis, and acids.

**Material:** All vinyl construction with an open smooth surface  
**Thickness:**  $\frac{1}{2}$ "  
**Color:** Blue, Black, Gray  
**Size:** Rolls – 2' x 40', 3' x 40', 4' x 40'  
Special Cuts – 2', 3', and 4' wide up to 40'



## Heronair

Two layer open grid construction matting provides excellent comfort and drainage. The hollow tube construction makes it a less expensive alternative.

**Material:** Extruded PVC  
**Thickness:** Approximately  $\frac{3}{8}$ "  
**Color:** Black, Gray, Blue  
**Size:** Rolls – 2' x 40', 3' x 40', 4' x 40'  
Special Cuts – 2', 3', and 4' wide up to 40'



## Heronrib

Ideal self draining safety matting for sports and leisure applications, indoors or outdoors.

**Material:** Extruded PVC  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Oxford Blue, Blue, Black, Buff, Gray  
**Size:** 2' x 33', 3' x 33', 4' x 33'  
Special Cuts – 2', 3', and 4' wide up to 33'





## Switchboard

ASTM D178 Switchboard Matting with corrugated surface is the premier insulating matting to protect workers. Each roll is proof tested at the specified voltage over the entire surface.

- Material:** Specially compounded material with fine rib corrugated surface
- Thickness:** ¼"
- Color:** Black
- Size:** Rolls – 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.  
Special Cuts – 2', 3', and 4' wide up to 25 yds.



## Diamond Switchboard

ASTM D178 Switchboard Matting with diamond surface is the premier insulating matting to protect workers. Each roll is proof tested, at the specified voltage over the entire surface.

- Material:** Specially compounded material with diamond surface
- Thickness:** ¼"
- Color:** Black, Black with Yellow border
- Size:** 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.  
Special Cuts – 2', 3', and 4' wide up to 25 yds.
- Note:** Black with Yellow border available in 3' wide only



## Military Switchboard

The MIL-DTL 15562 specifications for insulating, Switchboard Matting.

- Material:** Specially formulate PVC
- Size:** Type II Black ⅝" x 3' x 25 yds. roll  
Type II Blue ⅝" x 3' x 25 yds. roll  
Type III Diamond Top Gray ¾" x 25 yds. roll
- Note:** Full roll sales only



## Conductive Diamond-Dek Sponge™

Diamond pattern Conductive  $10^6$  ohms\* of surface resistivity bonded to a heavy duty sponge base.

- Material:** Vinyl top bonded to a vinyl sponge with a diamond tread surface
- Thickness:** ⅞"
- Color:** Black
- Size:** 36" x 60", 24" x 36"  
Rolls – 3' x 75', 4' x 75'  
Special Cuts – 3' and 4' wide up to 75'
- Options:** 10' Ground cord

\*Measured from surface to surface and surface to ground per EOS/ESD test method DS7.1-1991.



## Corrugated Rubber™

Economical and functional general service matting provides protection for carpeting and floors.

**Material:** Rubber fine rib top with fabric impression base

**Thickness:** 1/8"

**Color:** Black

**Size:** Rolls – 2' x 25 yds., 2' x 50 yds., 3' x 25 yds., 3' x 50 yds., 4' x 25 yds., 4' x 50 yds., 6' x 25 yds. Special Cuts – 2', 3', and 4' wide up to 50 yds.

**Note :** 6' only available up to 25 yards



## Heavy Duty Corrugated Rubber™



Industrial grade 1/4" thick Heavy Duty Corrugated is excellent where extra floor protection is needed. The fiber reinforced recycled rubber compound is spike resistant and can be used outdoors to protect surfaces from shoe cleats and spikes.

**Material:** Recycled rubber compound with a wide rib corrugated surface

**Thickness:** 1/4"

**Color:** Black

**Size:** Rolls – 2' x 25 yds., 3' x 25 yds., 4' x 25 yds., Special Cuts – 2', 3', and 4' wide up to 25 yds.



## Heavy Duty Corrugated Rubber Fine Rib

Industrial grade Heavy Duty Corrugated Rubber effectively prevents slips and falls. The 1/4" thickness is excellent for floor protection and is spike resistant.

**Material:** Rubber fine rib top with fabric impression back

**Thickness:** 1/4"

**Color:** Black

**Size:** Rolls – 2' x 75', 3' x 75', 4' x 75' Special Sizes – 2', 3', and 4' wide up to 75'



## Diamond-Dek Runner

Deep embossed Diamond Tread pattern with a textured impression back effectively provides traction in wet areas. Multi-directional surface is easy to clean.

**Material:** High Grade Vinyl

**Thickness:** 5/32"

**Color:** Black, Gray, Black with Yellow Safety Border

**Size:** Rolls 2' x 75', 3' x 75', 4' x 75' Special Sizes – 2', 3', and 4' wide up to 75'



## E-Z Kleen Vinyl™

All purpose matting features round rib corrugations that prevent dirt and debris from clogging the surface.

**Material:** 100% Koroseal™ vinyl with wide round ribbed surface

**Thickness:** 1/8"

**Color:** Black, Brown

**Size:** Rolls – 2' x 35 yds., 3' x 35 yds., 4' x 35 yds. Special Cuts – 2', 3', and 4' wide up to 35 yds.





# Runner Matting

## Flip Over™

Anti-fatigue, low maintenance runner mat with raised knobs and round perforations for excellent drainage and reduced slippage.

**Material:** Heavy duty rubber with an open-raised knob surface  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Red, Black  
**Size:** Rolls – 3' x 36'  
Special Cuts – 3' up to 36'



## Textured Rubber

Economical general purpose rubber runner with non-directional abrasive non-skid surface.

**Material:** Textured rubber top with fabric impression back  
**Thickness:**  $\frac{1}{8}$ "  
**Color:** Black  
**Size:** Rolls – 3' x 26 yds.  
Special Cuts – 3' up to 26 yds.



## Recycled Rubber Runner

A heavy duty recycled rubber runner. Rough surface provides excellent traction in wet or dry areas.

**Material:** Post consumer recycled rubber made from tires  
**Thickness:**  $\frac{5}{32}$ "  
**Color:** Black  
**Size:** Rolls – 4' x 49'6"  
Special Sizes – 4' up to 49'6"



## Clear Vinyl

Heavy gauge clear vinyl mat protects carpets from wear and soil. Pointed grippers keep mat in place.

**Material:** Clear commercial gauge vinyl with linear pattern and gripper back  
**Thickness:**  $\frac{3}{16}$ "  
**Color:** Clear  
**Size:** Rolls – 27" x 60', 36" x 60', 48" x 60'  
Special Cuts – 27", 3', and 4' wide up to 60'



## Clear Vinyl Diamond Surface

Protects floors while the diamond pattern helps clean shoes. Smooth back makes it ideal for almost any hard surface. Commercial grade clear surface allows your floor to still be seen while remaining attractive.

**Material:** Clear commercial grade vinyl with diamond pattern surface and smooth back  
**Thickness:** Approximately  $\frac{3}{32}$ " (2mm)  
**Color:** Clear  
**Size:** 3' x 60', 4' x 60'  
Special cuts 3', 4' wide up to 60'





## Impact Sports Mat™

Superior quality, thick mat protects against floor damage from dropped weights and spiked shoes. The textured non-skid surface provides added traction for sure footing.

**Material:** Rubber with a pebbled surface  
**Thickness:** ½", ¾"  
**Color:** Black  
**Size:** 48" x 72"



## Anti-Slip Tape

Self-adhesive, abrasive non-skid rolls and standard sizes. Perfect for inclines and most wet areas. Applies to most surfaces easily and maintenance free.

**Surface:** Non-skid texture  
**Color:** Black, Yellow, Black & Yellow Striped  
**Size:** Rolls – 1" x 60', 2" x 60', 4" x 60', 6" x 60'  
Pieces – (sets of 50) 5.5" x 5.5", 6" x 24"



## Cushion Tile Workstation Cushion Tile Eyewash Mat



Open grid design raises foot traffic above wet floors and helps prevent slipping. Beveled ramps on three sides provide extra safety.

**Material:** 100% recycled PVC plastic with an open mesh surface  
**Thickness:** ¾"  
**Color:** Workstation – Black with Yellow Safety Borders, Grit Top with Yellow Safety Borders  
Eyewash Mat – Green Tile with Yellow Safety Border, Red Tile with Yellow Safety Border  
**Size:** Workstation – 26.5" x 41", 38.5" x 65"  
Eyewash Mat – 26.5" x 29", 38.5" x 41"





# Entrance & Carpet Matting

## Enforcer

Custom floor covering for entrances where oversized or wall to wall coverage is needed. The Heavy Duty Needle punch (HDNP) fiber is the perfect commercial high traffic floor covering product.

**Material:** 100% solution dyed UV stable polypropylene fiber pin surface  
**Thickness:**  $\frac{7}{16}$ "  
**Color:** See website for current colors  
**Size:** Rolls – 6'7" x 82' and 13'2" x 68'8"  
Special sizes available up to 13'2" wide  
Bevel edging available



## Carpet Tile Diagonal

Heavy duty diagonal carpet tile provides excellent scraping and dirt removal. Tile contains 52.05% post consumer content.

**Material:** 100% polypropylene nylon yarn on bitumen backing  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Beige, Blue, Gray, Charcoal  
**Size:**  $19\frac{1}{16}$ " x  $19\frac{1}{16}$ "  
**Special Note:** Sold in full cases of 20 tile only



## Carpet Tile Pin

Heavy duty pin top tile is excellent for heavy traffic applications. UV stable pin surface scrapes dirt and moisture from feet. Tile contains 53.89% post consumer content.

**Material:** Polypropylene fiber surface with a pin design on bitumen backing  
**Thickness:**  $\frac{7}{16}$ "  
**Color:** Sable Brown, Midnight Blue, Black Walnut, Tweed Brown, Charcoal, Autumn Red, Dark Gray, Spruce, Natural, Sapphire  
**Size:**  $19\frac{1}{16}$ " x  $19\frac{1}{16}$ "  
**Special Note:** Sold in full cases of 12 tile only





# Entrance & Carpet Matting

## Vylon

Colorful, stain-resistant vinyl link mat provides good traction under foot and captures dirt from shoes. Close weave surface construction ideal for applications where high-heeled shoe traffic is present. Mat available with custom logos and lettering.

**Material:** Extruded vinyl links, ½" wide x 2" long on galvanized steel wires

**Thickness:** 7/16"

**Color:** Brown, White, Red, Light Blue, Brick Red, Black, Yellow, Blue, Tan, Green, Gray, Burgundy

**Size:** Custom

**Nosing:** Beveled (BN), Square (SN) or a combination of both



## Frontrunner

Aggressive open grid entrance matting with tread surface traps dirt and allows moisture to drain through with ease. Heel and wheel proof system available in rolls for larger areas.

**Material:** Extruded PVC

**Thickness:** .55" (14mm)

**Color:** Black, Blue, Brown, Gray

**Size:** 2' x 33', 3' x 33', 4' x 33'  
Special Cuts – 2', 3', and 4' wide up to 33'



## Recessed Cocoa Matting

Tough natural fibers remove grit from shoes and absorb and retain tracked in moisture. Fiber yarn is imbedded in heavy vinyl backing. Dries rapidly to prevent mildew or rot.

**Material:** Cocoa fiber yarn bonded to solid vinyl backing

**Thickness:** 5/8", 3/4", 1", 1 1/4"

**Color:** Natural tan


**Size:** Custom



## Aluminum Pre-Sized Recessed Frames

Item No.	Position	Application
340C0000A	"A"	Marble or Terazzo
340C0000B	"B"	3/16" Resilient Floors
340C0000C	"C"	1/8" Resilient Floors
340C0000H	"H"	Flush Wall Recessed
340C0000RV	"H-Reverse" depth over 5/8"	Reverse Miter for Recess

**Note:** H Frame also available in bronze  
Surface frames also available.





# Entrance & Carpet Matting

## DuraLoop Standard Duty

Excellent scraping action and multidirectional walking surface. UV stabilized to resist fading. Use in exterior or interior applications. Stain and mildew resistant and resistant to most chemicals.

**Material:** Extruded vinyl with looped surface  
**Thickness:** .47" (12mm)  
**Color:** Blue, Red, Green, Brown, Gray, Black\*  
**Size:** Standard – 2' x 3', 3' x 5', 4' x 6'  
Rolls – 3' x 40', 4' x 40',  
Special Cuts – 3' and 4' wide up to 40'



## DuraLoop Heavy Duty

Provides excellent scraping action indoors, outdoors and in vestibule entrances.

**Material:** Extruded vinyl  
**Thickness:** .59" NO backing  
**Color:** Blue, Red, Green, Brown, Gray, Black\*  
**Size:** Rolls – 3' x 40', 4' x 40'  
Special Cuts – 3' and 4' wide up to 40'



**NEW**

## DuraLoop Dual Color

Perfect for outdoor or vestibules with medium to high traffic. Excellent scraping action and multi-directional walking surface. Dual color fiber looped design scrapes debris and dirt from feet.

**Material:** Extruded PVC  
**Thickness:** .55" Backed  
**Color:** Black/Gray, Brown/Beige  
**Size:** Standard – 3' x 5', 4' x 6'  
Rolls – 3' x 40' and 4' x 40'  
Special Cuts – 3' and 4' wide up to 40'



*\*Additional colors available – call for more info.*



## Fingertip

Brushing action of thousands of resilient rubber fingertips wipe off dirt and moisture from footwear. All four sides have beveled edging to improve safety at the facility entrance.

**Material:** Top quality molded rubber with a fingertip surface  
**Thickness:**  $\frac{5}{8}$ "  
**Color:** Black  
**Size:** 16" x 24", 24" x 32", 28" x 46",  
32" x 39", 36" x 60", 36" x 72"



## Scraper Mat **NEW**

Outdoor economical, commercial rubber mat that provides enhanced traction and scrapes dirt and debris from shoes.

**Material:** Top quality molded rubber  
**Thickness:**  $\frac{1}{4}$ "  
**Color:** Black  
**Size:** 2' x 3', 3' x 5', 4' x 6'



## Par-K

Parquet pattern outdoor entrance mat provides excellent multi-directional cleaning performance.

**Material:** High quality 96% recycled rubber compound  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Black  
**Size:** 2' x 3' (23" x 36"), 3' x 5' (36" x 57"),  
4' x 6' (45" x 67")



## Cocoa Entry

Natural cocoa fibers are woven into a dense high pile mat. The rough absorbent fibers effectively trap dirt and moisture and hold up under busy foot traffic.

**Material:** Imported natural cocoa fiber, woven edges and backing  
**Thickness:** 38mm approximately  
**Color:** Natural  
**Size:** 14" x 24", 16" x 27", 18" x 30",  
22" x 36", 24" x 39", 26" x 42",  
30" x 48", 36" x 48", 36" x 60",  
36" x 72", 48" x 72"





# Entrance & Carpet Matting

## Niagra

Surface gives superb absorption and wearability. Holds up to 1½ gallons of water per square yard.

- Material:** Polypropylene Needle-punch fiber surface with a reinforced nitrile rubber gripper backing
- Thickness:** ¾"
- Color:** Gray, Walnut, Burgundy, Charcoal, Blue, Green, Red, Beige
- Size:** 2' x 3', 3' x 4', 3' x 5', 3' x 10', 3' x 12', 3' x 20', 4' x 6', 4' x 8', 4' x 10', 4' x 12', 4' x 20', 6' x 8'  
Custom Sizes – 3', 4', and 6' wide up to 20'
- Border:** Available in black rubber or fabric.  
If no border is specified, black rubber will be sent.



## Ridge-Way

The raised fabric covered pattern removes dirt and moisture from feet. Beveled edging and recessed grooves help to prevent falls and collect moisture.

- Material:** Polypropylene needle punch fiber surface with a reinforced Nitrile rubber gripper backing.
- Thickness:** ¾"
- Color:** Gray, Walnut, Burgundy, Charcoal, Blue, Green, Red, Beige
- Size:** 2' x 3', 3' x 4', 3' x 5', 3' x 10', 3' x 12', 3' x 20', 4' x 6', 4' x 8', 4' x 10', 4' x 12', 4' x 20', 6' x 8'  
Custom Sizes – 3', 4', and 6' wide up to 20'
- Border:** Available in black rubber or fabric.  
If no border is specified, black rubber will be sent.



## Stop-N-Dry

Economical quick drying and excellent for harsh climates. Will not wrinkle, mildew, or shrink.

- Material:** Raised polyester carpet fiber with SBR/NR non-staining/non-marking anti-skid rubber backing
- Thickness:** ½"
- Color:** Gray, Brown, Blue, Charcoal
- Size:** 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 10'



## Spectra Nylon

Plush, solution dyed nylon carpet with rubber backing, traps dirt and moisture below the surface as traffic enters your building. The rubber back and edge provides extra durability while the gripper back helps keep mat in place. Easy to clean, just vacuum, commercial clean, or machine wash.

- Material:** 100% solution dyed nylon carpet with rubber backing
- Thickness:** Approximately ¾"
- Color:** Black, Brown, Charcoal, Gray, Blue
- Size:** 2' x 3' (23" x 34"), 3' x 5' (34.50" x 55.50"), 3' x 10' (34.50" x 116.25"), 4' x 6' (43.25" x 66.50"), 4' x 8' (43.25" x 93.00")  
Custom Sizes – 3', 4', and 6' wide up to 20'





# Entrance & Carpet Matting

## Spectra-Rib

Ribbed polypropylene fibers effectively traps moisture.

**Material:** 100% polypropylene backing with ribbed surface  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Brown, Gray, Charcoal, Red  
**Size:** 2' x 3', 3' x 4', 3' x 5',  
3' x 6', 4' x 6', 4' x 8'  
Rolls – 3', 4', and 6' wide x 60'  
Special Cuts – 3', 4', and 6' wide up to 60'



## Spectra-Olefin

Plush olefin high quality mat.

**Material:** 100% Olefin pile on vinyl backing with plush surface  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Brown, Charcoal, Red, Blue  
**Size:** 2' x 3', 3' x 4', 3' x 5',  
3' x 6', 4' x 6', 4' x 8'  
Rolls – 3', 4', and 6' wide x 60'  
Special Cuts – 3', 4', and 6' wide up to 60'



## Spectra-Pin

A medium to heavy traffic wiper and scraper mat with raised berber design.

**Material:** Polypropylene fiber on vinyl backing  
**Thickness:** Approximately  $\frac{3}{8}$ "  
**Color:** Charcoal, Brown, Gray, Green, Burgundy  
**Size:** 2' x 3', 3' x 4', 3' x 5',  
3' x 6', 4' x 6', 4' x 8'  
Rolls – 3' x 60', 4' x 60', 6' x 60'  
Special Cuts – 3', 4', and 6' wide up to 60'



## Chevron

Vivid, non-fading needle punch wiper/scraper mat featuring chevron-patterned surface.

**Material:** 100% polypropylene chevron fiber with vinyl backing.  
**Thickness:**  $\frac{3}{8}$ "  
**Color:** Charcoal, Burgundy, Green, Blue, Brown  
**Size:** 2' x 3', 3' x 4', 3' x 5',  
3' x 6', 4' x 6', 4' x 8'  
Rolls – 3' x 60', 4' x 60', 6' x 60'  
Special Cuts – 3', 4', and 6' wide up to 60'



## Wipe-N-Walk

Value plus service reliability are provided by absorbent Olefin nap matting.

**Material:** 100% olefin fiber on vinyl backing  
**Thickness:** Approximately  $\frac{1}{4}$ "  
**Color:** Brown, Charcoal  
**Size:** 2' x 3', 3' x 4', 3' x 5',  
3' x 6', 4' x 6', 4' x 8'





# Entrance & Carpet Matting

## Nylon Carpet Logo

Promote your company brand in an attractive and economical way. Solution dyed to ensure precise replica of graphics and logo.

- Material:** Solution dyed nylon plus twist carpet with smooth nitrile rubber backing
- Thickness:**  $\frac{3}{8}$ "
- Color:** See website or call for color chart
- Size:** 2' x 3', 3' x 5', 3' x 10', 4' x 6'  
Custom Sizes – 3', 4', and 6' wide up to 20' long



## Vylon Logo

Colorful, stain-resistant vinyl link mat provides good traction under foot and captures dirt from shoes.

- Material:** Extruded vinyl links,  $\frac{1}{2}$ " wide x 2" long on galvanized steel rods
- Thickness:**  $\frac{7}{16}$ "
- Color:** Brown, White, Red, Light Blue, Brick Red, Black, Yellow, Blue, Tan, Green, Gray, Burgundy
- Size:** Custom
- Nosing:** Beveled (BN), Square (SN) or a combination of both



## Niagra Custom Inlay

100% UV resistant polypropylene fiber with inlay process with up to 18 colors per mat. Molded rubber gripper backing traps dirt and moisture. No set up or art charges.

- Material:** Polypropylene needlepunch surface with a reinforced rubber gripper backing
- Thickness:**  $\frac{3}{8}$ "
- Color:** See website or call for color chart
- Size:** 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8', 4' x 10', 6' x 8', 6' x 12'  
Custom Sizes – 3', 4', and 6' wide up to 60'. Most colors available.
- Border:** Black rubber or fabric  
If not specified rubber will be supplied



**NEW**

## Enforcer Custom Inlay Logo Mat

Enhance your entrance inside or outside with a custom inlay logo mat. The 100% polypropylene fiber is UV stable and available in sizes up to 13' wide and 70' long. The non-skid backing and heavy duty edging keep the mat in place.

- Material:** 100% polypropylene surface with non-skid rubber backing
- Color:** Over 30 colors, See website or call for color choice
- Size:** Up to 13' wide and 70' long
- Note:** Color proof will be provided for approval on all mats before they are manufactured





# Quick Reference Guide

PRODUCT NAME		Material	Thickness	Recycled Content	Warranty	Size options				
						Standard	Rolls	Custom Widths	Custom Lengths	Modular
TIRE LINK MATS										
Durite		Rubber	5/8"	X	1 year	X		X	X	
Dura-Rug		Rubber	3/4"	X	1 year	X		X	X	
DURA-TILE II										
Dura-Tile II (all styles)		Rubber	3/8"	X	Durable		X	X	X	X
SAFE-ZONE HIGH VISIBILITY MATTING										
Diamond-Dek Sponge-HV		Vinyl	9/16"		3 year	X	X	X	X	
Workmaster II-HV		Rubber	3/4"		1 year	X		X	X	
Anti-Slip Tape-HV		Taper					X			
ANTI-FATIGUE – DRY AREA										
Grand-Stand Vinyl™		Vinyl	1/2"	X	1 year	X	X	X	X	
Grand-Stand Vinyl HD		Vinyl	15/16"	X	1 year	X	X	X	X	
Grand-Stand Textured™		Rubber	1/2"	X	2 year	X	X	X	X	
Grand-Stand Deluxe™		Rubber	1/2"	X	2 year	X	X	X	X	
Grand-Stand Beauty & Barber™		Rubber	1/2"	X	2 year	X	X	X	X	
Grand-Stand Vinyl Beauty & Barber		Vinyl	1/2", 15/16"	X	2 year	X		X	X	
Diamond-Dek Sponge		Vinyl	9/16"	X	3 years	X	X	X	X	
Diamond-Dek Sponge HD™		Vinyl	15/16"	X	3 years	X	X	X	X	
Diamond-Dek Sponge Supreme		Vinyl	3/4"	X	3 years	X	X	X	X	
Urethane HD		Urethane	3/4"		5 years	X				
Bubble Mat		Rubber	5/8"		1 year	X				
Soft-Spun 3/8"		Vinyl	3/8"		1 year	X	X	X	X	
Soft-Spun 5/8"		Vinyl	5/8"		1 year	X	X	X	X	
Diamond-Dek Soft-Spun		Vinyl	3/8"		1 year	X	X	X	X	
Safety Spun™		Vinyl	3/8"		1 year	X	X	X	X	
Ultra Safe		Vinyl	3/8"		1 year	X	X	X	X	
Diamond-Dek Ultra Safe		Vinyl	3/8"		1 year	X	X	X	X	
Soft-Stand Supreme™		Vinyl	1/2"		1 year	X	X	X	X	
Comfort Stand		Vinyl	3/8"		1 year	X	X	X	X	
Comfort Stand HD		Vinyl	7/8"		1 year	X	X	X	X	
ANTI-FATIGUE – WET AREA										
Workstation Plus™		Rubber	1/2"	X	1 year	X		X	X	
Workstation		Rubber	5/8"	X	1 year		X	X	X	
Workmaster		Rubber	3/4"	X	1 year	X		X	X	
Workmaster II		Rubber	3/4"	X	1 year	X		X	X	
Workstation Light		Rubber	1/4"	X	1 year	X		X	X	
Workstation Edge		Rubber	1/2"		1 year	X				
RxMat		Rubber	3/4"		3 years			X	X	X
Workstation Nitrile		Rubber	5/8"	X	3 years		X	X	X	
Kitchen Grid		Vinyl	5/8"	X	3 years		X	X	X	
Work Flow Plus		Rubber	1/4"		3 years	X		X		
Cushion Tile		Vinyl	3/4"	X	1 year				X	
Grit Cushion Tile		Vinyl	3/4"	X	1 year				X	
Color Cushion Tiles		Vinyl	3/4"	X	1 year				X	
Heromat		Vinyl	3/8"	X	3 years		X			
Vynagrip		Vinyl	5/8"	X	4 years		X	X	X	
Cushion Grid		Vinyl	1/2"	X	2 years		X	X	X	
Heronair		Vinyl	3/8"	X	2 years		X	X	X	
Heronrib		Vinyl	3/8"	X	3 years		X	X	X	

PRODUCT NAME		Material	Thickness	Recycled Content	Warranty	Size options				Glue Down
						Standard	Rolls	Custom Widths	Custom Lengths	
ESD										
Switchboard		Vinyl	1/4"		1 year		X		X	
Diamond Switchboard		Vinyl	1/4"		1 year		X		X	
Military Switchboard		Vinyl	1/8"		1 year		X		X	
Conductive Diamond-Dek Sponge™		Vinyl	9/16"		3 years	X	X	X	X	
RUNNER MATTING										
Corrugated Rubber™		Rubber	1/8"		1 year		X		X	
Heavy Duty Corrugated Rubber™		Rubber	1/4"		1 year		X		X	
Heavy Duty Corrugated Rubber Fine Rib		Rubber	1/4"		1 year		X		X	
Diamond-Dek Runner		Vinyl	5/32"	X	1 year		X		X	
EZ Klean Vinyl™		Vinyl	1/8"	X	1 year		X		X	
Flip Over™		Rubber	3/8"		1 year		X		X	
Textured Rubber		Rubber	1/8"		1 year		X		X	
Recycled Rubber Runner		Rubber	5/32"	X	1 year		X		X	
Clear Vinyl		Vinyl	3/16"		1 year		X		X	
Clear Vinyl Diamond Surface		Vinyl	5/32"		1 year		X		X	
HIGH ACTIVITY MATTING										
Impact Sports Mat™		Rubber	1/2", 3/4"	X	3 years		X			
SPECIALTY										
Anti-Slip Tape		Tape	n/a		1 year		X			
Cushion Tile Workstation/Eyewash		Vinyl	3/4"	X	1 year		X			
ENTRANCE										
Enforcer		Polypropylene	7/16"	X	1 year		X	X	X	
Carpet Tiles Diagonal		Polypropylene	3/8"	X	3 years					X
Carpet Tile Pin		Polypropylene	3/8"	X	3 years					X
Vylon		Vinyl	7/16"		Durable			X	X	
Frontrunner		Vinyl	.55" (14mm)	X	4 years		X			
Recessed Cocoa Matting		Cocoa	5/8", 3/4", 1", 1 1/4"		1 year		X	X	X	
Aluminum Pre-Sized Recessed Frames		Aluminum	n/a							
Duraloop Standard Duty		Vinyl	.47"		1 year		X	X	X	
Duraloop Heavy Duty		Vinyl	.59"		1 year		X	X	X	
Duraloop Dual Color		Vinyl	.47"		1 year		X	X	X	
Fingertip		Rubber	5/8"		1 year		X			
Scraper Mat		Rubber	1/4"		1 year		X			
Ppar-K		Rubber	3/8"	X	1 year		X			
Cocoa Entry		Cocoa	1 1/2"		1 year		X			
Niagra		Polypropylene	3/8"		Durable		X		X	
Ridge-Way		Polypropylene	3/8"		Durable		X		X	
Stop-N-Dry		Polyester	3/8"	X	Durable		X			
Spectra Nylon		Nylon	3/8"		1 year		X		X	
Spectra-Rib		Polypropylene	3/8"	X	1 year		X	X	X	
Spectra-Olefin		Olefin	3/8"	X	1 year		X	X	X	
Spectra-Pin		Polypropylene	3/8"		1 year		X	X	X	
Chevron		Polypropylene	3/8"		1 year		X		X	
Wipe-N-Walk		Olefin	1/4"		1 year		X			
Nylon Carpet Logo		Nylon	3/8"		Durable		X		X	
Vylon Logo		Vinyl	7/16"		Durable			X	X	
Niagra Custom Inlay		Polypropylene	3/8"		Durable				X	
Enforcer Custom Inlay Logo Mat		Polypropylene	7/16"	X	Durable		X	X	X	

# Size Chart



# Terms & Conditions

## Standard Warranty

All Durable Corporation floor covering products are guaranteed to be free of defects in material and workmanship under normal conditions of usage, provided our recommended installation and maintenance instructions are followed. Any defective material will be replaced at our expense if a claim is reported to us in writing, and if our examination shows that the product has failed under the terms of this Warranty. The maximum period of responsibility under this Warranty is one (1) year from the date of shipment.

## Verbal Quotations

All verbal quotations must be documented with our quotations number. No verbal quotation will be valid without such documentation.

## Terms

Terms are 1% 10, net 30 days, subject to credit approval. A ½% finance charge may be applied to accounts past 30 days.

## Pricing

All prices are FOB shipping point. Prices are subject to change without notice. When price changes are necessary, we will make every effort to provide advance notification, allowing reasonable time for customers to make their price adjustments.

## Shipping Charges

All orders are FOB shipping point. Unless specifically requested otherwise, all shipments sent by motor freight will be sent prepaid and added to invoice when shipping from Norwalk, Ohio, and other locations. When necessary, shipment may be sent prepaid with transportation charges sent directly to customer, and a service charge may apply. Orders will be shipped via United Parcel Service (UPS) or Federal Express whenever possible. When small parcel weights are exceeded, we will always ship the least expensive, most direct way, unless otherwise specified by customer. All weights shown in this catalog are approximate and may vary from one production run to another. Durable reserves the right to ship product via its desired carriers. If other carriers are specified, special handling charges may apply. A handling fee will be applied per package to all small parcel shipments sent collect and 3rd party.

## Product Stability

Every effort has been made to accurately describe our products and to define their general usage. Determination of the suitability of any product and any application contemplated by the Buyer is the sole responsibility of the Buyer or User. In the event of improper product selection by the Buyer, Durable Corporation makes no warranty or guarantee of results to be obtained since use and application by the Buyer are beyond our control. If in doubt as to the suitability of a particular product application, please contact our Sales Department. We will not be liable for damages in excess of the purchase price of the product.

## Product Specifications

Specifications for all products are subject to change without prior written notice, when such changes are made to achieve improved product appearance, design or performance.

## Color Specifications

Product colors are reproduced in our catalog as accurately as possible. Colors represent average production runs and may vary in shade from time to time, depending upon dye lot and compound variations.

## Image Proportions

Because of this catalog's design, images may not be proportional from one mat to the next. Visit [www.durablecorp.com](http://www.durablecorp.com) for more photographs "on location."

## Returned Goods

Every effort will be made to accommodate requests for returned merchandise. Please contact our Customer Service Department for assistance in making arrangements for returns. When return authorization is granted, merchandise must be returned to us freight Prepaid and side marked with the assigned return authorization number. Merchandise must be packaged properly. A restocking charge of up to 30% will be enforced on ALL standard stock items returned. Special size, special run, special color, or custom made materials are not returnable. Authorizations to return merchandise are valid for sixty (60) days.


## Damaged Goods/Shortages

To protect your interests, it is imperative to inspect and count articles before accepting shipment. Damages or shortages should be documented on the delivery receipt. If damage or shortage occurs, contact our Customer Service Department for assistance in filing a claim. Filing claims with freight carriers is the responsibility of the consignee. Claims for lost or damaged goods cannot be honored after six (6) months from the date of shipment.

## Ordering Instructions

Each product description in this catalog includes ordering instructions which specify the information required for ordering that particular item. These instructions will vary according to the different product characteristics. It is essential to provide all the information specified in Ordering Instructions to assure shipment of the desired item without delays that might result from incomplete information. For items where Width and Length are to be specified, it is important to note that Width is the measurement from left to right as you approach the mat; and Length is the distance over which you travel (front to back).

## Measuring Diagram



**DURABLE**  
CORPORATION  
SINCE 1923

75 N. Pleasant Street  
P.O. Box 290  
Norwalk, Ohio 44857

**Local Phone:** 419-668-8138  
**Phone:** 800-537-1603

**Local Fax:** 419-668-8068  
**Fax:** 800-537-6287

**Email:** [sales@durablecorp.com](mailto:sales@durablecorp.com)

**[www.durablecorp.com](http://www.durablecorp.com)**

Copyright 2019 Durable Corporation, All Right Reserved