











Welcome to Durable

Durable patented the original tire link mat in 1923. Since then we have been recycling tires and producing these mats in the same high quality way; proving that a really good idea never goes out of style!

You will find outstanding products in this catalog, designed to meet all of your industrial and entrance needs. Our mats will help keep your floors looking great and provide extra

safety. We have a variety of textures and colors available to match any décor. No matter which Durable mat you choose, you will appreciate their exceptional quality and value.

If you are looking for a mat that we do not offer in the catalog contact Customer Service to see if we have it available. We have chosen the most popular products to offer.





Durite 108™

Provides excellent drainage, foot comfort, and traction. Easily rolled for cleaning and storage.

Material: Recycled rubber links from recycled tires woven on

galvanized wires with open mesh surface

Thickness: Color:

14" x 22", 17" x 25", 20" x 30", 24" x 36", Size:

24" x 48", 24" x 60", 24" x 72", 30" x 48", 30" x 60", 36" x 60", 36" x 72"

Options: Black or Yellow beveled nosing





Dura-Rug 400

Carpet like nap and open mesh construction absorb moisture and traps dirt from foot traffic.

Material: Pile top rubberized fabric links from recycled tires woven

on galvanized steel rods with open mesh surface

3/4" Thickness: Color:

Size: 14" x 22", 17" x 25", 20" x 30", 24" x 36"

30" x 48", 30" x 60", 36" x 72"

Options: Beveled or squared nosing available



Note: All Durite 108[™] and Dura-Rug 400 sizes are approximate. The only way to guarantee size is to add square or bevel nosing.



Striving to Serve You Better!

Our 2014 catalog is designed to work hand in hand with your Smartphone, Notepad, or Computer. Each product shown in this catalog has a brief description along with other basic product information. The barcode next to each product links you directly to the specific product page on the website quickly and easily for detailed information. Simply download one of several barcode readers from your App Store and follow directions. If you register with us at www.durablecorp.com you may also view your pricing and have access to product promotions.

Note: Some restrictions do apply when setting up an account at www.durablecorp.com. Scan for current information on each product or visit www.durablecorp.com.

2 1-800-537-1603

Dura-Tile II

Dura-Tile II

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. Attractive carpet-like surface provides a touch of luxury in areas of frequent foot traffic. Traps dirt, absorbs moisture, and protects floors. Suitable for any entrance, wall to wall floor covering, or areas where a durable high traffic glue down tile is required.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.

Backing – Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: 3/8"

Color:** Earthtone*
Size: 12" x 12"



Designer Dura-Tile II

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering. The one square foot triangular tile can be made into a two piece 17" x 17" tile or a four piece 24" x 24" tile. Combine with standard Dura-Tile, Rolls or Colored Dura-Tile to create custom designs and layouts.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires

Backing - Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: 3/8"
Color:** Earthtone

Size: 1 square foot triangle 12" x 12" x 17",

16 square feet per case, sold in full cases only



Dura-Tile II Colors

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering. Engineered coloring process will not transfer to other surfaces and will hold up for years with proper cleaning.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires

Backing – Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: 3/8"

Color:** Blue Tone, Red Tone, Green Tone, Charcoal Tone, Brown Tone
Size: Dura-Tile II, Designer Dura-Tile and Rolls can be colored.

Minimum order 250 square feet. Full case orders only.



Dura-Tile II Rolls

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.

Backing – Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: %"
Color:** Earthtone

Size: 12" x 25'; Special Sizes – 12" up to 30'



Dura-Tile II Accessories

Dura-Tile II in all styles is a glue-down product. See price book for adhesive, bevel nosing, and aluminum recess frame options.




*Special Note: Meets or exceeds Federal flammability regulations CPSC-FF 1-70,

16 CFR, and ASTM D 2859-96. Recycled content <95% post-consumer.

Dura-Tile II with polyester backing is shipped unless specified.

**Color: Colors will vary from tile to tile due to tile strips

Easy Stand®



NEW Easy-Stand® Anti-Fatigue Flooring System

Patent: US 8,171,699 B2

Turn the ordinary into the extraordinary with this antifatigue flooring system. Built directly into the flooring, it provides comfort to workers and can be used with multiple styles of flooring. The Easy-Stand has a uniform and attractive appearance, simpler floor maintenance, and an overall reduced cost. Great for use in banks, pharmacies, salons, cashier stations, or anywhere people stand.





Safety Message Mats

When a safety message is needed there is no better place than at the door. A polymeric material is molded into our Niagra Carpet Entrance mat or a Heavy Duty Scraper Entrance mat in four specific messages. Part of our SAFE-ZONE family of products.

Material: Niagra – Polypropylene fiber with rubber gripper backing

Scraper – Nitrile rubber with molded tread surface

Thickness: Niagra – 3/8"; Scraper – 3/16"

Color: Niagra – Charcoal, Walnut; Scraper – Black

Size: Mats 3' x 5', 4' x 6'

Logo: 7.5" x 13" placed in lower right corner

Logos: "No Smoking," "Caution," "Please Wipe Your Feet,"

"Employees Only"

Note: Specify horizontal or vertical mat placement. Specify

rubber or fabric border on Niagra mats.





SAFE ZONE High-Visiblity Mats

Promote safety and comfort with high visibility matting. Our exclusive formulated high visibility yellow color clearly identifies work areas where safety is a must. Combine that with three of our most popular anti-fatigue mats and you have the best safety mat available today.

Diamond-Dek Sponge-HV



Diamond surface provides sure footing in a variety of applications while sponge base reduces fatigue on legs and back.

Material: 5/32" vinyl diamond surface bonded

to a heavy duty sponge base

Thickness: 9/16"

Color: Hi-Viz Yellow 24" x 36", 36" x 60" Size:

Rolls - 3' x 75'

Special Cuts - 3' wide up to 75'



Sof-Spun 3/8"-HV



Helps ease foot, leg, and back fatigue. Sponge pebble surface traps dirt, resists oil and grease, and will not absorb water.

Material: Sponge vinyl core with a pebble surface

Thickness:

Color: Hi-Viz Yellow 36" x 60" Size:

Rolls $-2' \times 60'$, $3' \times 60'$, $4' \times 60'$

Special Cuts - 2', 3', and 4' wide up to 60'



Workmaster II-HV NEW



Tough industrial mat with Hi-Viz beveled edges creates an ultra-safe work area.

Material: Open circular grease resistant rubber

compound with PVC edging

Thickness:

Black with Hi-Viz Yellow Edging Color:

Edging 3 sides - 26" x 40", 38" x 52", Size:

38" x 64", 38" x 124"

Edging 4 sides - 28" x 40", 40" x 52",

40" x 64", 40" x 124"



Anti-Slip Tape-HV




Self-adhesive, abrasive non-skid tape is perfect for inclines and most wet areas. Applies easily to most surfaces.

Surface: Non-skid texture Color: Hi-Viz Yellow

1" x 60', 2" x 60', 4" x 60', 6" x 60' Size:





Grand-Stand Vinyl™

Tough wearing smooth marbleized vinyl with sponge base is a less expensive alternative to rubber surface mats.

Material: 1/8" smooth vinyl surface with a 3/8" thick sponge base

a % thick s

Color: Marble – Gray, Black/White, Blue, Charcoal

Size: 24" x 36", 36" x 60"

Thickness:

Special Cuts - 2', 3', and 4' wide up to 60'



NEW

Grand-Stand Vinyl HD

Extra thick PVC sponge base is bonded to a marbleized vinyl top surface. Bevel edge on all sides provides added safety.

Material: 1/8" vinyl surface bonded to a 3/4" vinyl sponge base

Thickness: 7/8" approximately

Color: Marble Black, Blue, Gray, Charcoal

Size: 24" x 36", 36" x 60" Rolls – 3' x 75', 4' x 75'

Special Sizes – 3' and 4' up to 75'



Grand-Stand Textured™

Textured rubber surface with resilient rubber foam base is excellent for reducing worker fatigue. Ideal for industrial applications and areas where limited welding occurs.

Material: 1/8" textured rubber surface with a 3/8" rubber sponge base

Thickness: ½"

Color: Black

Size: 2' x 3', 3' x 5'

Rolls – 2' x 75', 3' x 75', 4' x 75'

Special Cuts – 2', 3', and 4' wide



Grand-Stand Deluxe™

Natural rubber foam base provides excellent comfort. Beveled edges on all sides add extra measure of safety.

Material: 3/32" Thermoset Vulcanized Rubber (SR) smooth surface

bonded to a 3/8" resilient rubber foam base

Thickness: ½"

Size: 18" x 30", 24" x 36", 18" x 48", 36" x 64"

Cuts up to 60' - 18", 24", 36", and 48" wide

Available In Three Unique Color Schemes

Marble: White/Beige, Gray, French Gray, Blue, Green, Hunter

Green, Black & White, Charcoal Solid - Light Gray, Black

Creative

Elements: White/Black, Charcoal/Black,

Red/White, Blue

Wood

Elements: Oak, Maple, Cherry, Pecan



Grand-Stand 3/8"™

Natural rubber foam base provides excellent comfort. Beveled edges on all sides add extra measure of safety.

Material: 3/32" Thermoset Vulcanized Rubber (SR) smooth surface

bonded to a 1/4" resilient rubber foam base

Thickness: 3/8"

Color: Marble – White/Beige, Gray,

French Gray, Blue, Green, Hunter Green, Black & White, Charcoal Solid – Light Gray, Black Wood Elements – Oak, Maple,

Cherry, Pecan

Creative Elements – White/Black, Charcoal/Black, Red/White, Blue

Size: 18" x 30", 24" x 36", 18" x 48", 36" x 60

Cuts up to 60' – 18", 24", 36",

and 48" wide



Grand-Stand Corrugated™

Corrugated surface with sponge back is excellent for reducing worker fatigue. Ideal for industrial applications.

Material: 1/8" fine rib corrugated surface

with 3/8" sponge back

Thickness: ½"


Color: Black

Size: 24" x 36", 36" x 60"

Special Cuts - 2', 3', and 4' wide up to 75'



Note: Grand-Stand Deluxe, Grand-Stand ¾", and Beauty Barber mat color offerings are subject to change. Please contact Customer Service for color availability.



Salon Mats

Grand-Stand Beauty & Barber™

Custom made mats feature a long wearing rubber surface bonded to a resilient rubber foam base. Built-in beveled edge base adds an extra measure of safety and virtually eliminates tripping.

Material: 3/32" Thermoset Vulcanized Rubber (SR) smooth surface

bonded to a foam base

Thickness: Standard Deluxe Foam Base 1/4" & 3/8" Overall 3/8" & 1/2"

Shapes: Circular or Rectangular

Size: Standard: Rectangular or Circular - 36" x 54", 36" x 60"

Rectangular - Only 36" x 52"

Deluxe: Rectangular – 36" x 54", 36" x 60" Circular – 36" x 64", 36" x 72"

Available In Three Unique Color Schemes

Marble: White/Beige, Gray, French Gray, Blue, Green,

Hunter Green, Black & White, Charcoal

Solid - Light Gray, Black

Creative

Elements: White/Black, Charcoal/Black,

Red/White, Blue

Wood

Elements: Oak, Maple, Cherry, Pecan



NEW

Grand-Stand Vinyl Beauty & Barber

Durable 1/8" PVC marble surface bonded to a resilient 3%" sponge base. Available in standard sizes and four attractive colors to compliment any decor. All standard sizes have recess for chair to sit. Cut-outs available at no additional charge. Custom size available upon request.

Material: 1/8" PVC marble smooth vinyl surface

with 3/8" thick sponge base

Thickness: Approximately 1/2"

Color: Marble Black, Blue Gray, Charcoal Standard: 24" x 36", 36" x 60" Size:

Standard Sizes with cut-out or recess rectangular or circular 36" x 48", 36" x 52",

36" x 54", 36" x 60", 36" x 72"

Custom lengths 36" and 48" wide up to 60'



Note: Grand-Stand Deluxe, Grand-Stand %", and Beauty Barber mat color offerings are subject to change. Please contact Customer Service for color availability.

Diamond-Dek Sponge

Heavy duty matting provides sure footing in a variety of applications. Beveled edges and colored safety borders promote safety while reducing fatigue on the legs and back.

Material: 5/32" vinyl diamond treaded surface

bonded to a heavy duty foam

Thickness: %16"

Color: Black, Gray, Black with Yellow Border

Size: 24" x 36", 36" x 60"

Rolls – 2' x 75', 3' x 75', 4' x 75'

Special Cuts - 2', 3', and 4' wide up to 75'



Diamond-Dek Sponge HD™

Extra thick industrial grade foam on a diamond tread surface provides sure footing, superior comfort, and anti-fatigue for workers.

Material: 5/32" vinyl Diamond-Dek surface bonded

to a resilient 3/4" thick foam

Thickness: 78'

Color: Solid Black, Black with Yellow Border

Size: 24" x 36", 36" x 60"

Special Cuts - 2', 3', and 4' wide up to 75'



Diamond-Dek Sponge Supreme

The ultimate in durability and comfort. Diamond tread surface bonded to a heavy grade PVC sponge base. The specially formulated sponge is ideal for areas where standing long periods of time is required.

Material: 5/32" vinyl diamond tread surface is bonded to a 5/16" heavy

duty blue vinyl sponge base

Thickness: 3/4" approximately

Color: Solid Black, Black with Yellow borders

Size: 24" x 36", 36" x 60"

Rolls – 2' x 75', 3' x 75', 4' x 75'

Special Cuts - 2', 3', and 4' wide up to 75'







Metallic Diamond-Dek Sponge

Highly reflective, heavy duty, vinyl top is ideal for showrooms, garages, behind counters, industrial assembly line or anywhere comfort, durability and style are needed.

Material: Metallic vinyl diamond treaded surface

bonded to a heavy duty foam

Thickness: %"

Color: Silver/Metallic
Size: 24" x 36", 36" x 60"
Rolls – 3' x 75'

Special Cuts - 3' wide up to 75'





Industrial Mats

Sof-Spun 3/8"

Sponge vinyl cushioned mat helps ease foot, leg, and back fatigue at standing workstations. The corrugated sponge vinyl surface traps dirt, resists oil and grease, and will not absorb water.

Material: Sponge vinyl core with a wide ribbed corrugated surface

Thickness: 3/8"

Color: Black, Gray

Size: Standard – 27" x 36", 27" x 60", 36" x 60"

Rolls $-2' \times 60'$, $3' \times 60'$, $4' \times 60'$, $6' \times 60'$ Special Cuts -2', 3', 4', and 6' wide up to 60' (Cut Lengths available in black only.)



NEW Sof-Spun 5/8"

Durable, economical PVC sponge helps ease foot, leg, and back fatigue at standing workstations. Corrugations trap dirt and provide added traction.

Material: Sponge vinyl with a wide corrugated surface

Thickness: 5%"

Color: Black

Size: Standard – 24" x 36", 36" x 60"

Rolls – 2' x 60', 3' x 60', 4' x 60', 6' x 60' Custom Lengths – 2', 3', 4',

and 6' wide up to 60'



Diamond-Dek Sof-Spun

Ideal for use in factories and warehouses at workstations and assembly lines. Resists oil and grease and will not absorb water.

Material: Sponge vinyl core with a diamond tread surface

Thickness: 3/8"

Color: Black

Size: Rolls – 2'x 60', 3' x 60' 4' x 60'

Special Cuts - 2', 3', and 4' wide up to 60'



Safety Spun™

Anti-fatigue mat with beveled edges and OSHA Yellow borders makes any area a safer place to work.

Material: Sponge vinyl core with a wide ribbed corrugated surface

Thickness: 3/81

Color: Charcoal with safety yellow border

Size: Rolls – 3' x 60', 4' x 60'

Special Cuts - 3' and 4' wide up to 60'



Ultra Safe

Polyurethane top coated mat provides improved resistance to abrasion. Pebble surface for easy cleaning.

Material: Sponge vinyl core with a pebbled

polyurethane coated surface

Thickness: 3/8"

Color: Charcoal Black Pebble with Yellow border

Size: Rolls – 3' x 60', 4' x 60'

Special Cuts – 3' and 4' wide up to 60'



Diamond-Dek Ultra Safe

Diamond tread surface with a polyurethane top coating provides outstanding resistance to abrasion.

Material: Sponge vinyl core with polyurethane

coated diamond tread surface

Thickness: 3/8"

Color: Black with Yellow border Size: Rolls – 3' x 60', 4' x 60'

Special Cuts – 3' and 4' wide up to 60'



Sof-Stand Supreme™

IMPROVED FORMULA

Sof-Stand Supreme provides more superior comfort than traditional vinyl sponge mats. Pebble embossed vinyl surface is integrated with a moisture resistant closed cell vinyl foam base.

Material: Dual density vinyl sponge with a pebble surface

Thickness: ½"

Color: Black

Size: 24" x 36", 36" x 60"

Rolls - 3' x 60', 4' x 60'

Special Cuts - 3' and 4' wide up to 60'



Comfort Stand

NEW

Added comfort in a single layer sponge. Comfort Stand is 2-3 times more resilient than standard vinyl sponge mats.

Material: Cross link Vinyl/Nitrile sponge with textured surface

Thickness: 3/8"
Color: Black

Size: 2' x 3' and 3' x 5' bevel edges all sides

Rolls – 2', 3', and 4' x 60' bevel all sides Custom – 2', 3', and 4' wide up to 60' bevel edge on long sides only



Comfort Stand HD

NEW

The ultimate in comfort from a single layer sponge. Comfort Stand HD is ideal in industrial, commercial, and retail applications where standing for long periods of time is required.

Material: Cross link vinyl/nitrile sponge with textured surface

Thickness: %"

Color: Black

Size: 2' x 3', 3' x 4', 3' x 5', and 4' x 6' bevel

edges all sides

Rolls – 2', 3', and 4' x 30' bevel all sides Custom – 2', 3', and 4' wide up to 30' bevel edge on long sides only







Extra-tough lightweight matting, ideally suited for workstations in restaurants, kitchens, and industrial applications. Built in beveled edges provide safety, while the open circular mesh surface provides a non-slip footing in wet or oily areas.

Material: Black – Grease-resistant rubber compound

Red – Grease-proof rubber compound

Thickness: ½"

Color: Red, Black

Size: 3' x 5', 3' x 10', 3' x 15', 3' x 20'



Workstation

Interlocking system available in solid or open mesh design. Mat has built-in interlocking system that can be connected to extend length and width. Beveled edges available.

Material: Black – Grease-resistant rubber compound

Open – Circular; Solid – Texture

Thickness: 5%"
Color: Black
Size: 36" x 36"



Workmaster

Durable ¾" heavy duty mat is made for industrial, commercial, and kitchen applications. Drain holes and knob back construction make drainage easy.

Material: High quality rubber compound

with an open circular surface

Thickness: 3/4"

Color: General Purpose Black

Size: 36" x 60"



Workmaster II

Tough industrial mat with safety orange beveled edge creates an ultra safe work environment at all types of workstations.

Material: Grease-resistant rubber with an open circular surface

Thickness: ¾"

Color: Black, Nosing Color: OSHA Safety

Orange (standard), Yellow, Red, Black

Size: Color Border All Sides – 28" x 40",

 $40" \times 52", 40" \times 64", 40" \times 124" \\ Color Border 3 Sides - 26" \times 40", 38" \times 52", 38" \times 64", 38" \times 124" \\$



Workstation Light

Economical lighter weight $\frac{1}{2}$ " standard duty general purpose mat with built in bevel edge.

Material: General purpose rubber compound

Thickness: $\frac{1}{2}$ "

Color: Black
Size: $3' \times 5'$



Rx Mat®

This unique multidimensional non-skid Nitrile Rubber tile is excellent for areas where safety is a must. Highly chemicalresistant and easily configured to fit any workstation.

Grease proof 100% Nitrile rubber with a raised Material:

multi-dimensional surface

Thickness:

Solid, Circular for drainage, Grit surface Styles:

Circular for Drainage

Color: Black Size: 18" x 18"



MBoss®

MBoss anti-fatigue matting offers a unique raised multidimensional slip-resistant surface.

Material: High quality rubber compound with a

raised multi-dimensional surface

Thickness: 3/4" Color: Black 36" x 36" Size:



Workstation Nitrile



Identical to our standard Workstation mat in solid or open style but made with 100% nitrile rubber for the harshest applications. Built in connectors on two sides allows custom sizes to be made in widths and lengths.

100% nitrile rubber compound

5/8" Thickness: Color: Black

Size: Mat - solid surface 36" x 36",

open surface 36" x 36"

Bevel Edges (optional) – 2" x 36" Corners (optional) - 2" x 40"



Kitchen Grid

Ideal slip resistant and anti-fatigue matting for the food processing industry.

Specially formulated animal fat resistant vinyl Material:

with an open circular, slip resistant surface

Thickness:

Color: Terra Cotta

Rolls - 2' x 33', 3' x 33', 4' x 33' Size:

Special Cuts - 2', 3', and 4' wide up to 33'



Work Flow Plus



Lightweight reversible anti-fatigue mat made from a 100% nitrile compound has excellent anti-slip and drainage properties.

Material: 100% nitrile rubber compound

Thickness: 1/4" Color: Black

3' x 5', 3' x 10', 3' x 15', 3' x 20' Size:







Cushion Tile

Either indoors or outdoors, cushioned matting eases worker fatigue, guards against damage from vibration or slipping. Grease and moisture resistant. Interlocking 12" square tiles can be assembled to meet any dimensional requirements.

Material: Recycled flexible vinyl with open

mesh waffle grid surface

Thickness:

Color Tile - Black; Edging - Black, Yellow

Size: 12" x 12"





Grit Cushion Tile

Cushion Tile's modular design allows for easy installation into an area of any size or shape. Grit top surface adds extra anti-slip protection.

Material: Recycled flexible vinyl with gritted, open mesh, waffle grid surface

Thickness:

Color: Tile - Black with Grit Surface (Standard)

Edging – Black, Yellow

Size: 12" x 12"





Color Cushion Tiles

Safe, sanitary "Cushion Tiles" provide maximum protection from slippery surfaces. Raises foot traffic above wet floors. Open grid design prevents moisture, odor build-up and slows infectious mold, mildew, and bacteria growth.

Material: 100% recycled PVC plastic with an open mesh surface

Thickness:

Color: Blue, Green, Gray, Pool Blue,

Red, White, Yellow

Size: 12" x 12"





Cushion Tile Workstation **Cushion Tile Eyewash Mat**

Open grid design raises foot traffic above wet floors and helps prevent slipping. Beveled ramps on three sides provide extra safety.

Material: 100% recycled PVC plastic with an open mesh surface

Thickness:

Size:

Color: Workstation - Black with Yellow Safety

Borders, Grit Top with Yellow Safety Borders; Eyewash Mat – Green Tile with Yellow Safety

Border, Red Tile with Yellow Safety Border

Workstation - 26.5" x 41", 38.5" x 65" Eyewash Mat - 26.5" x 29", 38.5" x 41"



Bubble Mat

Designed for comfort and durability. Holds up to the toughest conditions.

Material: SBR/NR non-staining, non-marking

with a raised bubble surface

Thickness:

Color: Black, Black with Yellow Border

Size: 24" x 36", 36" x 48"



Vynagrip

The ultimate non-skid drainage mat. Vynagrip offers a "diamond tread" pattern surface on the top and bottom of the matting for increased slip resistance.

Material: Extruded PVC

Thickness: 5/8"

Color: Black, Blue, Red, Black with Yellow Border

Size: 2' x 33', 3' x 33', 4' x 33'

Special Cuts - 2', 3', and 4' wide up to 33'



Tread-Grid

Vinyl duckboard matting with high grid surface for super grip and sure footing. Resilient cushion construction eases worker fatigue and reduces damage from dropped parts and equipment.

Material: All vinyl construction with

an open tread surface

Thickness: 1/2"

Color: Red, Blue, Black

Size: Rolls 2' x 40', 3' x 40', 4' x 40'

Special Cuts - 2', 3', and 4' wide up to 40'



Heronair

NEW

Two layer open grid construction matting provides excellent comfort and drainage. The hollow tube construction makes it a less expensive alternative.

Material: Extruded PVC
Thickness: Approximately %8"

Color: Black

Size: Rolls – 2' x 40', 3' x 40', 4' x 40'

Special Cuts -2° , 3° , and 4° wide up to 40°



Heronrib

Ideal self draining safety matting for sports and leisure applications, indoors or outdoors.

Material: Extruded PVC

Thickness: 3/8"

Color: Oxford Blue, Blue, Black, Buff **Size:** 2' x 33', 3' x 33', 4' x 33'

Special Cuts – 2', 3', and 4' wide up to 33'



Cushion Grid

Cushion Grid: Hollow tube construction with tread surface provides air-cushioned comfort. Ideal for use on wet floors. Compound resists oil, grease, fats, alkalis, and acids.

Material: All vinyl construction with

an open smooth surface


Thickness: ½"

Color: Red, Blue, Black

Size: Rolls – 2' x 40', 3' x 40', 4' x 40'

Special Cuts - 2', 3', and 4' wide up to 40'





Industrial Mats

Static Eaze™

Heavy Duty non-skid rubber surface with %" sponge base provides excellent comfort. Surface resistivity is 10⁵.

Material: 1/8" thick rubber tile top and a resilient 3/8"

thick foam base with a smooth surface

Thickness: ½"

Color: Black

Size: 18" x 30", 18" x 48", 24" x 36", 36" x 64"

Special Cuts – 18", 24", and

36" wide up to 60'



Switchboard

ASTM D178 Switchboard Matting with corrugated surface is the premier insulating matting to protect workers. Each roll is proof tested at the specified voltage over the entire surface.

Material: Specially compounded material

with fine rib corrugated surface

Thickness: ¼"
Color: Black

Size: Rolls – 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.

Special Cuts – 2', 3', and 4' wide up to 25 yds.



Diamond Switchboard

ASTM D178 Switchboard Matting with diamond surface is the premier insulating matting to protect workers. Each roll is proof tested, at the specified voltage over the entire surface.

Material: Specially compounded material with diamond surface

Thickness: 1/4"

Color: Black, Black with Yellow border Size: 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.

Special Cuts – 2', 3', and 4' wide up to 25 yds.

Note: Black with Yellow border

available in 3' wide only



Military Switchboard

The MIL-DTL 15562 specifications for insulating, Switchboard Matting.

Material: Specially formulate PVC

Size: Type II Black 1/8" x 3' x 25 yds. roll

Type II Blue 1/8" x 3' x 25 yds. roll

Type III Diamond Top Gray 3/16" x 25 yds. roll

Note: Full roll sales only



Conductive Diamond-Dek Sponge™

Diamond pattern Conductive 10⁶ ohms* of surface resistivity bonded to a heavy duty sponge base.

Material: Vinyl top bonded to a vinyl sponge

with a diamond tread surface

Thickness: %16"
Color: Black

Size: 36" x 60", 24" x 36" Rolls – 3' x 75', 4' x 75'

Special Cuts – 3' and 4' wide up to 75'

Options: 10' Ground cord

*Measured from surface to surface and surface to ground per EOS/ESD test method DS7.1–1991.





Corrugated Rubber™

Economical and functional general service matting provides protection for carpeting and floors.

Rubber fine rib top with fabric impression base Material:

Thickness: Color: Black

Size: Rolls - 2' x 25 yds., 2' x 50 yds. 3' x 25 yds.,

3' x 50 yds. 4' x 25 yds., 4' x 50 yds.

Special Cuts - 2', 3', and 4'

wide up to 50 yds.



Heavy Duty Corrugated Rubber

Industrial grade 1/4" thick Heavy Duty Corrugated is excellent where extra floor protection is needed. The fiber reinforced recycled rubber compound is spike resistant and can be used outdoors to protect surfaces from shoe cleats and spikes.

Material: Recycled rubber compound with a wide rib corrugated

surface

Thickness: 1/4" Color: Black

Size: Rolls – 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.

Special Cuts - 2', 3', and 4'

wide up to 25 yds.



Heavy Duty Corrugated Rubber Fine Rib

Industrial grade Heavy Duty Corrugated Rubber effectively prevents slips and falls. The 1/4" thickness is excellent for floor protection and is spike resistant.

Material: Rubber fine rib top with

fabric impression back

Thickness: Black Color

Rolls - 2' x 75', 3' x 75', 4' x 75' Size:

Special Sizes - 2', 3', and 4' wide up to 75'



Diamond-Dek Runner

Deep embossed Diamond Tread pattern with a textured impression back effectively provides traction in wet areas. Multi-directional surface is easy to clean.

Material: High Grade Vinyl

Thickness:

Color: Black, Gray, Black with Yellow Safety Border

Size Rolls 2' x 75', 3' x 75', 4' x 75'

Special Sizes – 2', 3', and 4' wide up to 75'



E-Z Kleen Vinyl™

All purpose matting features round rib corrugations that prevent dirt and debris from clogging the surface.

100% Koroseal™ vinyl with wide round ribbed surface Material:

Thickness: 1/8" Color:

Size: Rolls – 2' x 35 yds., 3' x 35 yds., 4' x 35 yds.

Special Cuts - 2', 3', and 4'

wide up to 35 yds.





Runner Matting

Metallic Diamond-Dek Runner

Metallic steel appearance in a lightweight, flexible vinyl runner.

Material: High grade vinyl with metallic film surface

Thickness: 5/32

Color: Silver, Blue, Red, Black, Green, Gold

Size: 36" x 96", 36" x 180"

Rolls – 3' x 75'

Special Cuts - 3' wide up to 75'



Diamond-Dek Runner Color

Customize any area with a deep embossed diamond tread pattern commercial grade runner. Choose from several standard colors. Minimum orders do apply. Some colors are available out of stock with one roll minimum.

Material: High grade vinyl

 Thickness:
 5/32"

 Color:
 Custom

 Size:
 Rolls – 3" x 75"



Flip Over™

Anti-fatigue, low maintenance runner mat with raised knobs and round perforations for excellent drainage and reduced slippage.

Material: Heavy duty rubber with an open-raised knob surface

Thickness: 3/8

Color: Red, Black Size: Rolls – 3' x 36'

Special Cuts - 3' up to 36'



Textured Rubber

Economical general purpose rubber runner with nondirectional abrasive non-skid surface.

Material: Textured rubber top with fabric impression back

Thickness: 1/8"
Color: Black

Size: Rolls $- 3' \times 26 \text{ yds.}$

Special Cuts – 3' up to 26 yds.



Recycled Rubber Runner

A heavy duty recycled rubber runner. Rough surface provides excellent traction in wet or dry areas.

Material: Post consumer recycled rubber made from tires

Thickness: 5/32"
Color: Black

Size: Rolls – 4' x 49'6"

Special Sizes – 4' up to 49'6"



Impact Sports Mat[™]

Superior quality, thick mat protects against floor damage from dropped weights and spiked shoes. The textured non-skid surface provides added traction for sure footing.

Material: Rubber with a pebbled surface

Thickness: ½", ¾"

Color: Black

Size: 48" x 72"



Dura-Speck Sports Floor

A multi-functional rubber recreational flooring, designed for commercial, residential, industrial, and fitness applications. Ideal usage in play areas, golf shops, fitness centers, home gyms, daycares, locker rooms, cardio areas, ice arenas, and retail flooring.

Material: Recycled rubber compound obtained as post

consumer recycled waste. Color chips are EPDM

rubber. Surface is smooth.

Thickness: ¼", ¾"

Color: Solid Black

Color Chips Black with Blue, Gray,

Green, Ivory, Red, White, or Yellow

Size: 36" x 36"

Rolls - 48" x 49.5'

Options: Interlocking tile or straight edge tile



Interlocking Sports Floor

Covers large areas with ease. The 24" x 24" interlocking tile and beveled edges and corners make any area a safe, protective, non-skid area. Ideal for weight rooms, sports arenas, cardio rooms, ski resorts, and locker rooms.

Material: SBR rubber with a pebble grain surface


Thickness: %"

Color: Black
Size: 24" x 24"

Edge – 12" x 24" Corner – 12" x 24"

Options: Beveled edges and corners





Sports and Fitness

Specialty Products

Anti-Slip Tape

Self-adhesive, abrasive non-skid rolls and standard sizes. Perfect for inclines and most wet areas. Applies to most surfaces easily and maintenance free.

Surface: Non-skid texture

Color: Black, Yellow, Black & Yellow Striped

Size: Rolls – 1" x 60', 2" x 60', 4" x 60', 6" x 60

Pieces – (sets of 50) 5.5" x 5.5"

(black only) 6" x 24"



Dura-Kote

Heavy Duty non-skid paint. Ideal for large floor areas, boat docks, indoors or outdoors.

Material: Rubber-based pigmented enamel containing coarse silica grit

Color: Gray, Yellow Size: 1 gallon

Note: Single coat application covers

approximately 80 square feet per gallon,

depending on thickness



Clear Vinyl

Heavy gauge clear vinyl mat protects carpets from wear and soil. Pointed grippers keep mat in place.

Material: Clear commercial gauge vinyl with linear pattern and gripper back

Thickness: 3/16"
Color: Clear

Size: Rolls – 27" x 60', 36" x 60', 48" x 60'

Special Cuts – 27", 3', and 4' wide up to 60'



NEW

Clear Vinyl Diamond Surface

Protects floors while the diamond pattern helps clean shoes. Smooth back makes it ideal for almost any hard surface. Commercial grade clear surface allows your floor to still be seen while remaining attractive.

Material: Clear commercial grade vinyl with diamond pattern

surface and smooth back

Thickness: Approximately 3/32" (2mm)

Color: Clear

Size: 3' x 60', 4' x 60'

Special cuts 3', 4' wide up to 60'





Dura-Pro

Durable and attractive gym floor cover in the form of easy to handle tiles. Giant-sized mats protect athletic flooring during non-sports events and activities. Dura-Pro tiles lie flat on top of the wood gym flooring and there are no unsightly wrinkles or ripples to cause potential tripping hazards. Easy to set up and break down, this gym floor cover does not require tape or special accessories.

Material: 100% solution dyed polypropylene

with polyolefin backing

Thickness: ¼"

Color: Blue, Gray

Size: 39%" x 78¾"



20 1-800-537-1603

Vylon 500C

Colorful, stain-resistant vinyl link mat provides good traction under foot and captures dirt from shoes. Close weave surface construction ideal for applications where high-heeled shoe traffic is present. Mat available with custom logos and lettering.

Material: Extruded vinyl links, ½" wide x 2" long on galvanized

steel wires

Thickness: 7/16"

Color: Brown, White, Red, Light Blue,

Brick Red, Black, Yellow, Blue, Tan, Green, Gray, Burgundy

Size: Custom

Nosing: Beveled (BN), Square (SN)

or a combination of both



Frontrunner



Aggressive open grid entrance matting with tread surface traps dirt and allows moisture to drain through with ease. Heel and wheel proof system available in rolls for larger areas.

Material: Extruded PVC **Thickness:** .55" (14mm)

Color: Black, Blue, Brown, Gray **Size:** 2' x 33', 3' x 33', 4' x 33'

Special Cuts - 2', 3', and 4' wide up to 33'



Legacy Pin



Patented hybrid product installs like a carpet and performs like a foot grille. Can be cut to measure in any direction without fraying. Combines top-of-the-line fibers that both scrape dirt and absorb moisture.

Material: 100% polypropylene base grid with high density anti-slip

rubber backing

Thickness: %16"

Color: Black/Walnut, Charcoal, Gray/Black Size: Rolls – 6'7" x 65'5" approximate

Special Sizes – all billed at 6'7" wide by length up to 65'5"

Special Note: Mat can be glued down or loose lay.

Available with bevel edging.



Recessed Cocoa Matting

Tough natural fibers remove grit from shoes and absorb and retain tracked in moisture. Fiber yarn is imbedded in heavy vinyl backing. Dries rapidly to prevent mildew or rot.

Material: Cocoa fiber yarn bonded


to solid vinyl backing


Thickness: %", ¾", 1", 1¼"

Color: Natural tan

Size: Custom







Custom floor covering for entrances where oversized or wall to wall coverage is needed. The Heavy Duty Needlepunch (HDNP) 43 ounce fiber is the perfect commercial high traffic floor covering product.

Material: 100% solution dyed UV stable polypropylene fiber pin surface

Thickness: 7/16"

Color: Natural, Sable Brown, Midnight Blue,

Sapphire, Spruce, Tweed Brown, Autumn Red,

Black Walnut, Charcoal, Dark Gray

Size: Rolls – 6'7" x 82' and 13'2" x 68'8" Special sizes available up to 13'2" wide

Bevel edging available





Carpet Tile Diagonal

Heavy duty diagonal carpet tile provides excellent scraping and dirt removal. Tile contains 52.05% post consumer content.

Material: 100% polypropylene nylon

yarn on bitumen backing

Thickness: 3/8

Color: Beige, Blue, Gray, Charcoal

Size: 19¹¹/₁₆" x 19¹¹/₁₆"

Special Note: Sold in full cases of 20 tile only





Carpet Tile Pin

Heavy duty pin top tile is excellent for heavy traffic applications. UV stable pin surface scrapes dirt and moisture from feet. Tile contains 53.89% post consumer content.

Material: Polypropylene fiber surface with a pin design on bitumen backing

Thickness: 7/16

Color: Sable Brown, Midnight Blue, Black Walnut, Tweed

Brown, Charcoal, Autumn Red, Dark Gray, Spruce,

Natural, Sapphire

Size: 19¹¹/₁₆" x 19¹¹/₁₆"

Special Note: Sold in full cases of 16 tile only



NEW

Carpet Tile Journey

Bold regency stripe design for stylish interiors. Dual fiber construction scrapes off dirt and absorbs moisture. Class 1 fire rating. Developed for medium to heavy traffic commercial applications.

Material: Nylon 6 textured tufted loop surface with vinyl

composite reinforced with fiberglass backing

Thickness: 5/16

Color: Blue, Gray, Green, Brown

Size: 24" x 24" Tile

Note: Sold in full cases of 18 tile only





Cushion Tile ENT

Our modular cushion tile with carpet inserts is ideal for entrances where drainage and cleaning shoes is a must. Charcoal polypropylene carpet set in a durable PVC tile can be installed linear or parquet for an attractive appearance indoors or out.

Material: Recycled flexible PVC with

polypropylene carpet inserts

Thickness: 1/2

Color: Tile – Black or Red; Carpet – Charcoal

Edging/Corners – Black

Size: Tiles 12" x 12"



DuraLoop

Excellent scraping action and multidirectional walking surface. UV stabilized to resist fading. Use in exterior or interior applications. Stain and mildew resistant and resistant to most chemicals.

Material: Extruded vinyl with looped surface

Thickness: Standard Duty - .47" (12mm) with vinyl backing

Heavy Duty - .59" (15mm) NO backing

Color: Blue, Red, Green, Brown, Gray, Black Standard Duty - 2' x 3', 3' x 5', 4' x 6' Size:

Rolls $-3' \times 40'$, $4' \times 40'$,

Special Cuts - 3' and 4' wide up to 40' Heavy Duty Rolls - 3' x 40', 4' x 40' Special Cuts - 3' and 4' wide up to 40'



Fingertip

Brushing action of thousands of resilient rubber fingertips wipe off dirt and moisture from footwear. All four sides have beveled edging to improve safety at the facility entrance.

Material: Top quality molded rubber with a fingertip surface

Thickness: Color: Black

16" x 24", 24" x 32", 28" x 46", Size:

32" x 39", 36" x 60", 36" x 72"



Brush-N-Scrape

100% solution dyed UV resistant nylon cut pile fabric outdoor entrance mat filters dirt and moisture away from the surface. Premium cleated rubber backing and ramped edges will not crack or curl.

Material: Solution dyed nylon carpet with rubber backing. Rubber

backing has 20% post-consumer recycled car tire content.

¾" approximate Thickness:

Color: Blue, Brown, Burgundy, Charcoal

Size: Standard 2' x 3', 3' x 4', 3' x 5', 3' x 6', 3' x 8',

3' x 10', 3' x 12', 3' x 16', 3' x 20', 4' x 6', 4' x 8', 4' x 10', 4' x 12', 4' x 16', 4' x 20', 6' x 8', 6' x 12', 6' x 16', 6' x 20'; Special cuts 3', 4', and 6' wide up to 60'. Sold in one foot increments only.



Par-K

Parquet pattern outdoor entrance mat provides excellent multidirectional cleaning performance.

Material: High quality 96% recycled rubber compound

Thickness: Color: Black

Size: 2' x 3' (23" x 36"), 3' x 5' (36" x 57"),

4' x 6' (45" x 67")

Cocoa Entry

Natural cocoa fibers are woven into a dense high pile mat. The rough absorbent fibers effectively trap dirt and moisture and hold up under busy foot traffic.

Material: Imported natural cocoa fiber, woven edges and backing

Thickness: 38mm approximately

Color: Natural

Size:

14" x 24", 16" x 27", 18" x 30", 22" x 36", 24" x 39", 26" x 42", 30" x 48", 36" x 48",

36" x 60", 36" x 72", 48" x 72"





Niagra

Surface gives superb absorption and wearability. Holds up to 1½ gallons of water per square yard.

Material: Polypropylene Needlepunch fiber surface with a

reinforced nitrile rubber gripper backing

Thickness: %" Border: Available in black rubber or fabric. If no border

is specified, black rubber will be sent.

Color: Gray, Walnut, Burgundy, Charcoal,

Blue, Green, Red, Beige

Size: 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6'

Special Sizes: 3', 4', and 6' wide up to 40'



Ridge-Way

The raised fabric covered pattern removes dirt and moisture from feet. Beveled edging and recessed grooves help to prevent falls and collect moisture.

Material: Polypropylene needle punch fiber surface with a

reinforced Nitrile rubber gripper backing.

Thickness: 3/8"

Color: Beige, Blue, Walnut, Charcoal,

Green, Red, Burgundy, Gray

Size: 2' x 3', 3' x 5', 3' x 10', 4' x 6'

Border: Available in black rubber or fabric. If no border is specified, black rubber will be sent.



Stop-N-Dry

Economical quick drying and excellent for harsh climates. Will not wrinkle, mildew, or shrink.

Material: Raised polyester carpet fiber with SBR/NR non-staining/

non-marking anti-skid rubber backing

Thickness: ½'

Color: Gray, Brown, Red, Blue, Green, Charcoal

Size: 2' x 3', 3' x 4', 3' x 5', 4' x 6'





Cross Ridge

Needlepunch carpet with coarse surface and protective coating is an excellent indoor or outdoor scraper mat. The non-directional scraping pattern offers outstanding performance with a decorative appearance. Surface is stain and fade resistant while its double border traps dirt and moisture from floor.

Material: Coated needlepunch carpet with recycled rubber base

made from scrap tires and plastic bottles

Thickness: 3/8"

Color: Blue, Charcoal, Chocolate, Gray

Size: 2' x 3', 3' x 5', 4' x 6'



Wipe-N-Walk

Value plus service reliability are provided by absorbent Olefin nap matting.

Material: 100% olefin fiber on vinyl backing

Thickness: Approximately ¼"

Color: Brown, Charcoal

Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'



Spectra-Rib

Ribbed polypropylene fibers effectively traps moisture.

100% polypropylene backing with ribbed surface

Thickness: 3/8"

Color: Brown, Gray, Charcoal, Red

2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8 Size:

Rolls - 3', 4', and 6' wide x 60'

Special Cuts - 3', 4', and 6' wide up to 60'



Spectra-Olefin

Plush olefin high quality mat.

100% Olefin pile on vinyl backing with plush surface

Thickness:

Color: Brown, Charcoal, Red, Blue

Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'

Rolls -3', 4', and 6' wide x 60'

Special Cuts - 3', 4', and 6' wide up to 60'



Spectra-Pin

A medium to heavy traffic wiper and scraper mat with raised berber design.

Material: Polypropylene fiber on vinyl backing

Thickness: Approximately 3/8"

Color: Charcoal, Brown, Gray, Green, Burgundy Size:

2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'

Rolls - 3' x 60', 4' x 60', 6' x 60'

Special Cuts - 3', 4', and 6' wide up to 60'



Chevron

Vivid, non-fading needle punch wiper/scraper mat featuring chevron-patterned surface.

Material: 100% polypropylene chevron fiber with vinyl backing.

Thickness:

Color: Charcoal, Burgundy, Green, Blue, Brown Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'

Rolls - 3' x 60', 4' x 60', 6' x 60'

Special Cuts - 3', 4', and 6' wide up to 60'



Spectra Plush

Plush heavy 36 oz./sq. yd. nylon carpet surface with double thick rubber backing is ideal for high traffic entrances. Nylon carpet will not fade. Machine wash and dry, vacuum and extraction clean.

36 oz./sq. yd. nylon carpet with Material:

nitrile rubber gripper backing

Thickness:

Color: Black, Brown/Black, Navy, Golden Brown,


Midnight Gray, Red Pepper, Slate Gray

Size: 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8'

Special Cuts - 3', 4', 5', and 6' wide up to

40' in one foot increments only





Nylon Carpet Logo

Promote your company brand in an attractive and economical way. Solution dyed to ensure precise replica of graphics and logo.

Material: Solution dyed nylon plus twist carpet with smooth nitrile rubber backing

Thickness:

Color: Call for chart

2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', Size:

4' x 8', 5' x 8', 5' x 10', 6' x 10', 6' x 12'

Special Sizes - available



Vylon Logo

Colorful, stain-resistant vinyl link mat provides good traction under foot and captures dirt from shoes.

Material: Extruded vinyl links, 1/2" wide x 2" long on galvanized steel rods

Thickness:

Color: Brown, White, Red, Light Blue, Brick Red, Black,

Yellow, Blue, Tan, Green, Gray, Burgundy

Size:

Nosing: Beveled (BN), Square (SN)

or a combination of both



Niagra Custom Inlay

100% UV resistant polypropylene fiber with inlay process with up to 18 colors per mat. Molded rubber gripper backing traps dirt and moisture. No set up or art charges.

Material: Polypropylene needlepunch surface with a reinforced

rubber gripper backing

Thickness: 3/8" Color:

 $2' \times 3'$, $3' \times 4'$, $3' \times 5'$, $3' \times 10'$, $4' \times 6'$, $4' \times 8'$, Size:

4' x 10', 6' x 8', 6' x 12' custom sizes 3', 4',

and 6' wide up to 60'. Most colors available.

Border: Black rubber or fabric.

If not specified rubber will be supplied.



DuraLoop Custom Inlay

Extruded Vinyl multi-directional surface with custom inlay process with up to 20 colors. No set-up or art charges.

Material: Extruded vinyl with loop surface

Thickness: Color:

Size: 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8', 4' x 10'

Border: Flat edge. Bevel available upon

request with surcharge.



Aluminum Pre-Sized Recessed Frames

Item No.	Position	Application
340C0000A	"A"	Marble or Terazzo
340C0000B	"B"	3/16" Resilient Floors
340C0000C	"C"	1/8" Resilient Floors
340C0000H	"H"	Flush Wall Recessed
340C0000RV	"H-Reverse" depth over % "	Reverse Miter for Recess

Note: H Frame also available in bronze

Surface frames also available.

Size Chart

	a	J
-	<u>ر</u>)
•	Ξ	_
	Ξ	7
(_	,
	۵	J
	C	J
	Ž	=
	Ď	J
	ā	<u>-</u>
•	D D	-
_		ر
		_
-	<u>~</u>	_
	_	<u>ן</u>
_	Ξ)
()
•		

Priorition Pri	Warranty	Standard Rolls	Custom	Custom Custom	Glu
	Walrelity	E 118 0			l
Note % % % % % % % % %			SIMULIS	Singin	onniar
ug Rubber %" x Iand Rubber %" x Iand Message Mats Rubber/Carpet %" x Id-Dek Sponge-HV Vinyl %" x Id-Dek Sponge-HV Rubber %" x Aster II HV Rubber %" x Aster II HV Rubber %" x Stand Vinyl HD Vinyl %" x Stand Sam Starter Rubber %" x Stand Beauty & Barber Rubber %" x Actal Dek Sponge Vinyl %" x Actal Dek Sponge Vinyl %" x Actal Dek Sponge Vinyl %" x Apun Vinyl %" x Apun Vinyl %" x Apun Beauty & Barber Vinyl %" x Attal Dek Sponge Vinyl %" x Attal Dek Sponge Vinyl %" x	ı year	×	×	×	
It (all styles)	1 year	×	×	×	
Comparison	Durable	×		×	×
Marketion Nitrile			×	×	
Message Mars	:				
Miny %6" %6"	Durable				
### Stand Pink Niny Niny Stand Pink Niny Niny Stand Viny Niny Stand Viny Niny Stand Viny Niny Stand Viny Niny Stand Stand Stand Corrugated Rubber Stand Niny Stand Stand Stand Niny Stand Stand Stand Niny Stand Stand Stand Niny Stand Stand Stand Niny Stand Stand Niny Stand Stand Niny Stand Stand Niny Stand Stand Stand Niny Stand Stand Stand Niny Stand Stand Stand Niny Stand	3 year	× ×	×	×	
### Weither ### Rubber ### ### ### ### ### ### ### ### ### #	1 year			×	
Pindle HV	1 year		×	×	
		×			
Stand Vinyl 15/6" X					
Stand Vinyl HD	1 year		×	×	
Stand Deluxe	1 year			×	
Stand Deluxe Rubber ½" X Stand Corrugated Rubber ½" ½" X Stand Vinyl Beauty & Barber Vinyl ½" ½" X du-Dek Sponge SUPREME Vinyl ½" ½" tun Stand HD Vinyl ½" X tun Open/Solid Rubber ½" X ation Den/Solid Rubber ½" X tun Open/Solid Rubber ½" X tun Plus Rubber ½"	2 year			×	
Stand %" Rubber %" X X X X X X X X X	2 year		×	×	
Stand Corrugated Rubber ½", ½" ½" ½"	2 year	× ×			
Stand Beauty & Barber Rubber %",1%" x rd-Dek Sponge Vinyl %",1%" x rd-Dek Sponge-HD Vinyl 15%" x rd-Dek Sponge-HD Vinyl 15%" x rd-Dek Sponge-SUPREME Vinyl 5%" x rd-Dek Sponge-HD Vinyl 5%" x un Vinyl 5%" x rd-Dek Sof-Spun Vinyl 5%" x rd-Dek Sof-Spun Vinyl 5%" x rd-Dek Ultra Safe Vinyl 5%" x stand Supreme Vinyl 5%" x rt Stand Vinyl 5%" x aster Rubber 5%" x aster Rubber 5%" x aster Ill Rubber 5%" x aster Ill Rubber 5%" x r Grid Vinyl 5%" x ation Nitrile Rubber 5%" x	2 year	×		×	
Stand Vinyl Beauty & Barber Vinyl 15", 15%" Ind-Dek Sponge Vinyl 15%" Ind-Dek Sponge SUPREME Vinyl 15%" Ind-Dek Songe SUPREME Vinyl 15%" Ind-Dek Sof-Spun Vinyl 15%" Ind-Dek Ultra Safe Vinyl 15%" Ind-Dek Sof-Spun Vinyl 15%" Ind-Dek Sof	2 year	×		×	
rd-Dek Sponge Vinyl %6" x rd-Dek Sponge-HD Vinyl 156" x rd-Dek Sponge SUPREME Vinyl 56" x un %" Vinyl 56" x un %" Vinyl 56" x spun Vinyl 56" x rt Stand Vinyl 56" x staten Vinyl 56" x station Plus Rubber 56" x staten Rubber 56" x ster Vinyl 56" x <	2 year	×		×	
rd-Dek Sponge-HD Vinyl 15%". X rd-Dek Sponge SUPREME Vinyl ½%". X un Vinyl ½%". X rd-Dek Sof-Spun Vinyl ½%". X rd-Dek Ultra Safe Win	3 years			×	
rd-Dek Sponge SUPREME Vinyl ¾** un Vinyl ¼*** un ½** Vinyl ½*** un ½** Vinyl ½** spun Vinyl ½** Spun Vinyl ½** spun Vinyl ½** rt Stand Minyl ½** rt Stand Rubber ½** x aster Rubber ½** x aster Rubber ½** x r Grid Vinyl ¾**	3 years		×	×	
t Spun blus Sponge Vinyl %", %" %" %" %" %" %" %"	3 years			×	
un Vinyl ¼", ¾", ¾" un ¼" Vinyl ¾", ¾" dd-Dek Sof-Spun Vinyl ¾" spun Vinyl ¾" dd-bek Ultra Safe Vinyl ¾" t Stand Vinyl ¾" t Stand HD Vinyl ¾" t Stand HD Vinyl ¾" x Stand HD Vinyl ¾" x aster Rubber ¾" x aster Rubber ¾" x aster I Rubber ¾" x aster I Rubber ¾" x aster I Rubber ¾" x ation Nitrile Ninyl ¾" x Rubber ¾" x n Grid Vinyl ¾" x Antile Ninyl ¾" x Mat Ninyl ¾" x mation Tile Vinyl ¾" x min Vinyl ¾	1 year			×	
Miny %" Miny %" Spun Miny %" Spun Miny %" Ind-Dek Ultra Safe Miny %" Ind Supreme Miny %" It Stand Miny %" It Stand Miny %" It Stand HD Miny %" It Mathematical Miny %" It Miny %"	1 year			×	
Spun Vinyl %" Spun Vinyl %" afe Vinyl %" rd-Dek Ultra Safe Vinyl %" rd-Dek Ultra Safe Vinyl %" rt Stand Vinyl %" r Start Rubber %" x aster I Rubber %" x aster I Rubber %" x	1 year			×	
Spunn Vinyl %" afe Vinyl %" Ind-Dek Ultra Safe Vinyl %" Ind Supreme Vinyl %" I Stand Vinyl %" I Stand HD Vinyl %" I Stand HD Vinyl %" I Stand HD Vinyl %" Ation Plus Rubber %" x aster I Rubber %" x Brition Nitrile Vinyl %" x Aster I	1 year	×		×	
Miny %" 14.5 14	1 year	×		×	
Ind Supreme Vinyl %" Ind Supreme Vinyl %" 1 Stand Vinyl %" TASHAH MAT-WET AREA Vinyl %" Ation Plus Rubber %" x ation Open/Solid Rubber %" x aster Rubber %" x aster Rubber %" x aster Rubber %" x Ation Light Rubber %" x Infle Vinyl %" x Airie Vinyl %" x Mat Vinyl %" x Mat Vinyl %" x Airie Vinyl %" x Airie Vinyl %" x	1 year	×		×	
1 Stand 1	1 year	×		×	
Stand Viny %"	1 year			×	
Ridal MAT-WET AREA Winyl %" X Ridal MAT-WET AREA Rubber %" X aster Rubber %" X aster Rubber %" X aster Rubber %" X aster Rubber %" X ation Light Rubber %" X ation Nitrile Rubber %" X fow Plus Rubber %" X ation Nitrile Rubber %" X fow Plus Rubber %" X ation Nitrile Winyl %" X fow Plus Rubber %" X ation Tile Winyl %" X for Winyl X for Winy	1 year	× ×		×	
### WAT-WET AREA ation Plus ation Open/Solid Rubber	1 year			×	
ation Plus Rubber ½" × aster Rubber ¾" × aster Rubber ¾" × aster II Rubber ¾" × ation Light Rubber ¾" × ation Light Rubber ¾" × ation Light Rubber ¾" × ation Nitrile Rubber ¾" × ation Nitrile Rubber ¾" × ation Nitrile Ninyl ¾" × ation Plus Ninyl ¾" × ation Tile Workstation/Eyewash Vinyl ¾" × ation Vinyl ¾ × ation Viny					
aster Rubber %" x aster Rubber %" x aster II Rubber %" x ation Light Rubber %" x ation Light Rubber %" x Aubber %" x Rubber %" x fubber %" x fow Plus Rubber %" x fow Plus Ninyl %" x ation Tile Winyl %" x fubber	1 year	×		×	
aster Rubber %" x aster II Rubber %" x ation Light Rubber %" x Rubber %" x Rubber %" x I Grid Vingle %" x I Grid Vingle %" x I Tile Vingle %" x shion Tile Vingle %" x I Tile Workstation/Eyewash Vingle %" x ip Vingle %" x ip Vingle %" x ir Vingle %" x ir Vingle %" x in Vingle %" <th< td=""><td>1 year</td><td></td><td>×</td><td>×</td><td>×</td></th<>	1 year		×	×	×
ation Light Rubber %" × I Grid Minyl %" × Shion Tile Workstation/Eyewash Vinyl %" × ITIE Wo	1 year	×	×	×	
Rubber 1/2" X Rubber 3/4" X Rubber 5/6" X Rubber 5/6" X Grid Vinyl 5/6" X Frie Vinyl 5/4" X	1 year	×	×	×	
Rubber %4" Rubber %6" X India Rubber %6" X India Rubber %6" X India Vinyl %4" X India Vinyl %6" X India Vinyl X	1 year	×		×	
Rubber %" X	3 years		×	×	×
irid Rubber %" X v Plus Rubber ¼" X rile Vinyl %" X rinon Tile Vinyl ¾" X inon Tile Vinyl ¾" X inion Tile Vinyl ¾" X ile Workstation/Eyewash Vinyl ¾" X d Vinyl ¾" X d Vinyl ¾" X	3 years		×	×	×
Viny %" X X X X X X X X X	3 years		×	×	×
Fubber 14"	3 years	×		×	
File	3 years	×		×	
ion Tile Vinyl %4" ile Workstation/Eyewash Vinyl %4" ile Workstation/Eyewash Vinyl %4" at Vinyl %6" d Vinyl 3%" vinyl 3%"	1 year				×
ile Workstation/Eyewash Vinyl %4" ile Workstation/Eyewash Vinyl %4" iat Rubber %6" Vinyl %6" d Vinyl %6" Vinyl %7"	1 year				×
ie Workstation/Eyewash Vinyl \$4." at Rubber \$6." Vinyl \$6." d Vinyl \$5." Vinyl \$6." Vinyl \$6."	1 year				×
lat Rubber %" Vinyl %" d Vinyl %" Vinyl %" Vinyl %"	1 year	×			
Vinyl %". Vinyl ½". Vinyl 3%". Vinyl 3%".	1 year	×			
d Vinyl 1/2 Vinyl 96 Vinyl 96	4 years	×		×	
Vinyl %6" Vinyl %2"	1 year	×		×	
Vinvl %*	2 years	×		×	
e com	3 years	×		×	
	1 year	×		×	
CONDUCTIVE/ANTI-STATIC					

	1		Recycled				Gustom	Custom Custom		Glue
	Vend	1/1 1/1		_	ore line in	2	2	3 7		b
SWILCHDOARD	Villyi	. .		l year		× :		× :		
Diamond Switchboard	Vinyl			l year		× :		× :		
Military Switchboard		8/8		l year		×		×		
Conductive Diamond-Dek Sponge	Vinyl			3 years	×	×	×	×		
Corrugated Bubber	Rubber	1/8		1 vear		×		×		
Heavy Duty Corrugated Rubber	Rubber	<u>*</u>		1 vear		×		×		
Heavy Duty Corrugated Rubber Fine Rib	Rubber	: * *		1 year		: ×		: ×		
Diamond-Dek Runner	Vinyl	28/3	×	1 year		×		×		
EZ Kleen	Vinyl	1,8"	×	1 year		×		×		
Metallic Diamond-Dek Runner	Vinyl	æ 2%		1 year		×		×		
Diamond-Dek Runner Color	Vinyl	8 /		1 year		×		×		
Flip Over	Rubber	8 /	×	1 year		×		×		
Textured Rubber	Rubber	1 % "		1 year		×		×		
Clear Vinyl	Vinyl	3/1e		1 year		×		×		
Recycled Rubber Runner	Rubber		×	1 year		×		×		
HIGH ACTIVITY MATTING										
Impact Sports Mat	Rubber	1/2", 3/4"	×	3 years	×					
Dura-Speck Sports Floor	Rubber	14", 38"	×	3 years	×	×			×	×
Interlocking Sports Floor	Rubber	** ***	×	1 year					×	
Anti-Slin Tane	Tane	e/u		1 year	>	>				
Dura-Kote	Paint	n/a		- -	<	<				
Clear Vinvl	Vinvl	3 ** %		1 vear		×		×		
Clear Vinyl Diamond Surface	Vinyl	-z ₈ /		1 year		×		×		
Dura Pro	Polypropylene	<u>*</u>		1 year	×					
ENTRANCE										
Vylon 500C	Vinyl	91//		Durable			×	×		
Frontrunner	Vinyl	.55" (14mm)	×	4 years		×		×		
Legacy Pin	Polypropylene		×	1 year		×	×	×		
Recessed Cocoa	Cocoa	%",%",1",1%"		1 year			×	×		
Enforcer	Polypropylene	, ₁ 91/ ₂	×	1 year		×	×	×		
Carpet Tiles Diagonal	Polypropylene	-8% **	×	3 years						×
Carpet Tile Pin	Polypropylene	= %	×	3 years						×
Carpet Tile Journey	Nylon		×	1 year						×
DuraLoop	Vinyl	3/8", 1/2"		J year	×	×	×	×		
Fingertip	Rubber	- 8° - 6		1 year	×					
Brush-N-Scrape	Nylon	- - - - -		Durable	×			×		
Par-K	Rubber	- %	×	1 year	×					
Cocoa Entry	Cocoa	- Z - Z - Z - Z - Z - Z - Z - Z - Z - Z		l year	× :			:		
Niagra Didas Wass	Polypropylene	: 8 /8		Durable	× >			×		
Ston-N-Dry	Polypropyrene	9 -%	× ×	Durable	< >					
Cross Bidge	Polynronylene	• ** **		1 year	< >					
Wipe-N-Walk	Olefin	· <u>*</u>	<	1 Vear	< ×					
Spectra-Rib	Polypropylene		×	1 year	×	×		×		
Spectra-Olefin	Olefin	-8% -8%	×	1 year	×	×		×		
Spectra-Pin	Polypropylene	-8 ₈		1 year	×	×		×		
Chevron	Polypropylene	= %		1 year	×	×		×		
Spectra Plush	Nylon	-8/s		Durable	×			×		
Nylon Carpet Logo	Nylon	-8 ₈		Durable	×					
Vylon Logo	Vinyl	91/2		Durable			×	×		
Niagra Custom Inlay	Polypropylene	- 8 ·		Durable	×			×		
DuraLoop Custom Inlay	Vinyl	8 %		Durable	×			>		
Aluminimi rig-olega meressea manos		II/a						<		

Terms & Conditions

Standard Warranty

All Durable Corporation floor covering products are guaranteed to be free of defects in material and workmanship under normal conditions of usage, provided our recommended installation and maintenance instructions are followed. Any defective material will be replaced at our expense if a claim is reported to us in writing, and if our examination shows that the product has failed under the terms of this Warranty. The maximum period of responsibility under this Warranty is one (1) year from the date of shipment.

Verbal Quotations

All verbal quotations must be documented with our quotations number. No verbal quotation will be valid without such documentation.

Terms

Terms are 1% 10, net 30 days, subject to credit approval. A ½% finance charge may be applied to accounts past 30 days.

Pricing

All prices are FOB shipping point. Prices are subject to change without notice. When price changes are necessary, we will make every effort to provide advance notification, allowing reasonable time for customers to make their price adjustments.

Shipping Charges

All orders are FOB shipping point. Unless specifically requested otherwise, all shipments sent by motor freight will be sent prepaid and added to invoice when shipping from Norwalk, Ohio, and other locations. When necessary, shipment may be sent prepaid with transportation charges sent directly to customer, and a service charge may apply. Orders will be shipped via United Parcel Service (UPS) or Federal Express whenever possible. When UPS limits are exceeded, we will always ship the least expensive, most direct way, unless otherwise specified by customer. All weights shown in this catalog are approximate and may vary from one production run to another. Durable reserves the right to ship product via its desired carriers. If other carriers are specified, special handling charges may apply.

Product Stability

Every effort has been made to accurately describe our products and to define their general usage. Determination of the suitability of any product and any application contemplated by the Buyer is the sole responsibility of the Buyer or User. In the event of improper product selection by the Buyer, Durable Corporation makes no warranty or guarantee of results to be obtained since use and application by the Buyer are beyond our control. If in doubt as to the suitability of a particular product application, please contact our Sales Department. We will not be liable for damages in excess of the purchase price of the product.

Product Specifications

Specifications for all products are subject to change without prior written notice, when such changes are made to achieve improved product appearance, design or performance.

Color Specifications

Product colors are reproduced in our catalog as accurately as possible. Colors represent average production runs and may vary in shade from time to time, depending upon dye lot and compound variations.

Image Proportions

Because of this catalog's design, images may not be proportional from one mat to the next. Visit www.durablecorp.com for more photographs "on location."

Returned Goods

Every effort will be made to accommodate requests for returned merchandise. Please contact our Customer Service Department for assistance in making arrangements for returns. When return authorization is granted, merchandise must be returned to us freight Prepaid and side marked with the assigned return authorization number. Merchandise must be packaged properly. A restocking charge of up to 30% will be enforced on ALL standard stock items returned. Special size, special run, special color, or custom made materials are not returnable. Authorizations to return merchandise are valid for sixty (60) days.


Damaged Goods/ Shortages

To protect your interests, it is imperative to inspect and count articles before accepting shipment. Damages or shortages should be documented on the delivery receipt. If damage or shortage occurs, contact our Customer Service Department for assistance in filing a claim. Filing claims with freight carriers is the responsibility of the consignee. Claims for lost or damaged goods cannot be honored after six (6) months from the date of shipment.

Ordering Instructions

Each product description in this catalog includes ordering instructions which specify the information required for ordering that particular item. These instructions will vary according to the different product characteristics. It is essential to provide all the information specified in Ordering Instructions to assure shipment of the desired item without delays that might result from incomplete information. For items where Width and Length are to be specified, it is important to note that Width is the measurement from left to right as you approach the mat; and Length is the distance over which you travel (front to back).

Measuring Diagram





75 N. Pleasant Street P.O. Box 290 Norwalk, Ohio 44857

 Local Phone:
 419-668-8138

 Phone:
 800-537-1603

 Local Fax:
 419-668-8068

 Fax:
 800-537-6287

Email: sales@durablecorp.com

www.durablecorp.com

Copyright 2014 Durable Corporation, All Right Reserved